(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 24 June 2004 (24.06.2004)

PCT

(10) International Publication Number WO 2004/053452 A2

(51) International Patent Classification⁷:

G01N

(21) International Application Number:

PCT/US2003/034554

(22) International Filing Date: 31 October 2003 (31.10.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/432,650 11 December 2002 (11.12.2002)

US

- (71) Applicant: 3M INNOVATIVE PROPERTIES COM-PANY [US/US]; 3M Center, Post Office Box 33427, Saint Paul, MN 55133-3427 (US).
- (72) Inventors: GUPTA, Shalley, K.; Post Office Box 33427, Saint Paul, MN 55133-3427 (US). GHOSH, Tarun, K.; Post Office Box 33427, Saint Paul, MN 55133-3427 (US). FINK, Jason, R.; Post Office Box 33427, Saint Paul, MN 55133-3427 (US).
- (74) Agents: GRAM, Christopher, D. et al.; Office of Intellectual Property Counsel, Post Office Box 33427, Saint Paul, MN 55133-3427 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ASSAYS RELATING TO TOLL-LIKE RECEPTOR ACTIVITY

(57) Abstract: The present invention provides assays useful for detecting agonists of Toll-like receptors. The assays include providing a cell culture transfected with a nucleic acid sequence that encodes a reporter operably linked to a TLR-inducible expression control sequence.

ASSAYS RELATING TO TOLL-LIKE RECEPTOR ACTIVITY

Background of the Invention

Cells of the immune system secrete a diverse set of compounds including cytokines, chemokines, co-stimulatory markers, and defensins in response to an immunological challenge.

5

10

15

20

25

30

Certain compounds known as immune response modifiers ("IRMs") possess potent immunostimulating activity including but not limited to antiviral and antitumor activity. Certain IRMs effect their immunostimulatory activity by, e.g., inducing the production and secretion of certain cytokines while inhibiting production and secretion of other cytokines. Certain IRMs are small organic molecules such as those disclosed in, for example, U.S. Patent Nos. 4,689,338; 4,929,624; 5,266,575; 5,268,376; 5,352,784; 5,389,640; 5,482,936; 5,494,916; 6,110,929; 6,194,425; 4,988,815; 5,175,296; 5,367,076; 5,395,937; 5,693,811; 5,741,908; 5,238,944; 5,939,090; 6,245,776; 6,039,969; 6,083,969; 6,245,776; 6,331,539; and 6,376,669; and PCT Publications WO 00/76505; WO 00/76518; WO 02/46188, WO 02/46189; WO 02/46190; WO 02/46191; WO 02/46192; WO 02/46193; and WO 02/46194.

Additional small molecule IRMs include purine derivatives (such as those described in U.S. Patent Nos. 6,376,50 and 6,028,076), small heterocyclic compounds (such as those described in U.S. Patent No. 6,329,381), and amide derivatives (such as those described in U.S. Patent No. 6,069,149).

Other IRMs include large biological molecules such as oligonucleotide sequences. Some IRM oligonucleotide sequences contain cytosine-guanine dinucleotides (CpG) and are described, for example, in U.S. Patent Nos. 6,1994,388; 6,207,646; 6,239,116; 6,339,068; and 6,406,705. Other IRM nucleotide sequences lack CpG and are described, for example, in International Patent Publication No. WO 00/75304.

Some of these IRMs induce cellular responses (e.g., the production and/or secretion of cytokines, chemokines, etc.) through one or more Toll-like receptors (TLRs). For example, certain small organic molecule IRMs are agonists of one or more of TLR-1, TLR-2, TLR-4, TLR-6, TLR-7, and TLR-8. Additionally, CpG has been reported to act through TLR 9.

In certain cells of the immune system, TLR activation can be associated with activation of the transcription factor NF-κB. NF-κB activation is associated with certain cellular responses to an immunological challenge, such as the production and secretion of pro-inflammatory cytokines such as TNF-α, IL-1, IL-6, IL-8, IL-10, IL-12, MIP-1, and MCP-1. IRM induction of such cellular responses can be demonstrated by measuring activation of the transcription factor NF-κB in response to exposing a cell to an IRM compound (See, e.g., Chuang *et al.*, *Journ. of Leuk. Biol.*, vol. 71, pp. 538-544 (2002), and Hemmi *et al.*, *Nature Immunology*, vol. 3(2), pp. 196-200 (2002)). Thus, NF-κB activation can be used as a reporter of TLR activation. However, the extent of NF-κB activation does not necessarily correlate with the extent of the downstream cellular response. This is so because the downstream cellular response may be modulated by one or more additional factors.

Summary of the Invention

15

20

10

5

The present invention provides assays for detecting activation of a TLR. The assays include providing a cell culture comprising cells transfected with a nucleic acid sequence that encodes a reporter that (a) generates a detectable signal when the reporter is expressed and the cell is exposed to conditions effective for generating the detectable signal, and (b) is operably linked to an expression control sequence that is induced by activation of a TLR and comprises a cytokine promoter, a chemokine promoter, a costimulatory marker promoter, or a defensin promoter; exposing the cell culture to a compound that activates a TLR; providing conditions effective for generating the detectable signal; and detecting the detectable signal.

25

In another aspect, the present invention provides assays for identifying agonists of a TLR. The assays include providing a cell culture comprising cells transfected with a first nucleic acid sequence that comprises a nucleotide sequence that encodes a TLR operably linked to a first expression control sequence, and a second nucleic acid sequence that encodes a reporter that (a) generates a detectable signal when the reporter is expressed and the transfected cell is exposed to conditions effective for generating the detectable signal, and (b) is operably linked to a second expression control sequence that is induced by activation of a TLR; contacting the cell culture with a test compound; providing conditions effective for generating the detectable signal, thereby generating a TLR-

30

mediated detectable signal; and identifying the compound as an agonist of the TLR if a TLR-mediated detectable signal is detected.

5

10

15

20

25

30

In another aspect, the present invention provides assays for identifying antagonists of a TLR. These assays include providing a cell culture that comprises cells transfected with a first nucleic acid sequence that comprises a nucleotide sequence that encodes the TLR operably linked to a first expression control sequence, and a second nucleic acid sequence that encodes a reporter that (a) is operably linked to a second expression control sequence that is induced by activation of a TLR, and (b) generates a detectable signal when the reporter is expressed and the transfected cell is exposed to conditions effective for generating the detectable signal; contacting the cell culture with an agonist of the TLR and a test compound; providing conditions effective for generating the detectable signal, thereby permitting the cell culture to generate a full TLR-mediated detectable signal in the absence of an antagonist of the TLR; measuring the detectable signal; and identifying the compound as an antagonist of the TLR if the detectable signal is less than a full TLR-mediated detectable signal.

In another aspect, the present invention provides a TLR agonists and TLR antagonists identified using an assay according to certain embodiments of the present invention.

In yet another aspect, the present invention provides pharmaceutical compositions including a TLR agonist or a TLR antagonist identified using an assay according to certain embodiments of the present invention.

Various other features and advantages of the present invention should become readily apparent with reference to the following detailed description, examples, and claims. In several places throughout the specification, guidance is provided through lists of examples. In each instance, the recited list serves only as a representative group and should not be interpreted as an exclusive list.

Detailed Description of Illustrative Embodiments of the Invention

The present invention provides assays that may be useful for detecting TLR activation based on detecting induction of a downstream cellular response to TLR activation (e.g., production or secretion of one or more immune system compounds such as cytokines or co-stimulatory markers) rather than NF-kB activation. In some cases, the

cellular response may be mediated by NF-κB, but in other cases the cellular response may be NF-κB-independent. Thus, the present invention provides assays that may be useful for detecting a broader range of TLR activation than is possible by monitoring NF-κB activation. This may provide an ability to identify certain TLR agonists that would not be detected using an assay based on NF-κB activation. The assays of the present invention also may provide a more relevant indication of the quantitative character of a particular cellular response to TLR activation by a particular TLR agonist.

5

10

15

20

25

30

agonist).

In some cases, an assay according to the present invention may be useful for detecting TLR activation that is not accompanied by NF-κB activation. Such an assay may be employed to identify TLR agonists that do not necessarily also activate NF-κB. Such TLR agonists may be useful for treatment or prevention of certain conditions in which the production and secretion of pro-inflammatory cytokines such as those induced by NF-κB activation may be undesirable.

For purposes of this invention, the following terms shall have the meanings set forth.

"Activation" refers to modifying the indicated protein so that the protein provides a biological function. For example, TLR activation refers to modifying a TLR, such as in response to exposure of the TLR to an agonist, so that the TLR is capable of inducing the production and secretion of certain cytokines.

"Agonist" refers to a compound that can combine with a receptor (e.g., a TLR) to produce a cellular response. An agonist may be a ligand that directly binds to the receptor. Alternatively, an agonist may combine with a receptor indirectly by, e.g., (a) forming a complex with another molecule that directly binds to the receptor, or (b) otherwise results in the modification of another compound so that the other compound directly binds to the receptor. An agonist may be referred to as an agonist of a particular TLR (e.g., a TLR6

"Amino acid sequence" refers to a particular ordered sequence of amino acids, whether naturally occurring or engineered.

"Antagonist" refers to a compound that can combine with a receptor (e.g., a TLR) to inhibit a cellular response. An antagonist may be a ligand that directly binds to the receptor. Alternatively, an antagonist may combine with a receptor indirectly by, e.g., (a) forming a complex with another molecule that directly binds to the receptor, or (b)

otherwise results in the modification of another compound so that the other compound directly binds to the receptor. An antagonist may be referred to as an antagonist of a particular TLR (e.g., a TLR6 antagonist). An antagonist may inhibit biological activity to any measurable extent.

5

"Co-transfect" and variations thereof refer to transfecting a host cell with more than one vector. A host cell may be co-transfected by transfecting with two or more vectors one at a time or in any convenient combination of vectors, including simultaneous transfection with all vectors.

10

"Express/expression" refers to the ability of a cell to transcribe a structural gene to mRNA, then translate the mRNA to synthesize a protein that provides a detectable biological or biochemical function. "Expressible" refers to the ability of a particular nucleic acid sequence to be expressed by a cell that contains the nucleic acid sequence.

15

"Immune system compound" refers to any compound that is produced or secreted by cells of the immune system in response to an immunological challenge. Immune system compounds include but are not limited to cytokines, chemokines, co-stimulatory markers, and defensins.

"Inhibit" refers to any measurable reduction of biological activity.

20

"IRM compound" refers to a compound that alters the level of one or more immune system compounds when administered to an IRM-responsive cell. Representative IRM compounds include the small organic molecules, purine derivatives, small heterocyclic compounds, amide derivatives, and oligonucleotide sequences described above.

25

"Nucleic acid sequence" refers generally to a region of DNA that has a definable function such as (a) encoding a peptide, polypeptide, or protein or (b) controlling expression of a nucleic acid sequence that encodes a peptide, polypeptide, or protein. For example, a nucleic acid sequence that encodes TLR6 refers generically to any sequence of nucleotides that encodes a TLR6 protein, without regard to (a) the species source of the nucleic acid sequence, (b) specific nucleotide sequence variants, or (c) whether such nucleotide sequence variants are naturally occurring or engineered.

30

"Nucleotide sequence" refers to a particular ordered sequence of nucleotide bases, whether naturally occurring or engineered.

"TLR-mediated detectable signal" refers to a detectable signal or that portion of a detectable signal that is attributable to activation of a TLR expressed from a gene expression system transfected into a host cell. For example, a host cell may naturally generate a background level detectable signal (S_0) , but generate a greater detectable signal (S_T) after being transfected with, and then expressing, a nucleic acid sequence that encodes a TLR. Thus, the TLR-mediated detectable signal (S_{TLR}) refers to the portion of the detectable signal generated by the transfected cell that is greater than background: $S_{TLR} = S_T - S_0$.

10

5

It has been found that induction of certain secreted proteins or polypeptides can be useful as reporters of TLR activation. For example, IFN-α is a cytokine secreted by such immune system cells as T lymphocytes, macrophages, plasmacytoid monocytes, dendritic cells, and natural killer cells. IFN-α is involved in regulating a host's innate and adaptive immune responses to an immunological challenge, perhaps by providing a link between the two responses [Brassard *et al.*, *Journal of Leukocyte Biology* 71: 565-581 (2002)]. The innate immune response can include the cell-mediated response of natural killer (NK) cells to a non-self (e.g., neoplastic) or foreign (e.g., viral) antigen. IFN-α also may indirectly regulate the balance between Th1 and Th2 cell populations and, therefore, the innate and adaptive immune responses. Moreover, induction of IFN-α is independent of NF-κB activation.

20

15

Additionally, the production and secretion of NF-kB-dependent cytokines can be useful as reporters of cellular responses resulting from immunological challenge.

Detection and measurement of such cytokines may provide comparative qualitative data regarding a cell's response to immunological challenge that is more relevant to an investigator than NF-kB activation data.

25

30

Thus, the present invention relates to assays designed to detect induction of immune system compounds. Such assays also may be useful for identifying compounds that induce expression of immune system compounds through TLRs. Parts of the following description are provided in the context of IFN- α induction and detection. However, many of the features of the embodiments described below also may be realized using assays designed to specifically detect or induce other immune system compounds. Thus, assays designed to specifically detect or induce other immune system compounds

having publicly available gene sequence information are explicitly included in the scope of the present invention.

Assay Tools

5

10

15

20

sequence.

The assays of the present invention employ a recombinant cell line capable of inducing gene expression from an expression control sequence of a gene that encodes an immune system compound (e.g., IFN- α) in response to TLR activation. In some embodiments, for example, cells of the recombinant cell line, when exposed to a TLR agonist, can induce expression from an IFN- α promoter to a greater extent than cells of the corresponding untransfected cell line. Cells of the untransfected cell lines may substantially lack a functional level of TLR expression (i.e., untransfected cells may not detectably induce expression from the IFN- α promoter in response to exposure to a TLR agonist). Alternatively, cells of the untransfected cell line may exhibit a baseline level of background TLR function, but the baseline level is less than the level of TLR function observed in cells of the corresponding recombinant (i.e., transfected) cell line.

Cells of certain recombinant cell lines include a first nucleic acid sequence that encodes a TLR operably linked to an expression control sequence. The cells also include a second nucleic acid sequence that encodes a reporter capable of generating a detectable signal when it is expressed in the recombinant cell under conditions suitable for generating the detectable signal. The reporter is linked to a second expression control sequence that is capable of being induced by activation of the TLR encoded by the first nucleic acid

25

30

The TLR encoded by the first nucleic acid sequence, when present, may be any TLR. Ten different human TLRs have been identified, cloned, and sequenced. TLRs also are known to exist in other mammals including mice and chimpanzees. The nucleotide sequences of the ten human TLRs and many non-human TLRs are known, have been published, and are readily accessible from various sequence databases including GenBank. The first nucleic acid sequence may include any one of the TLRs for which the nucleotide sequence is known, whether human or non-human. In one embodiment, the TLR is human TLR6; in another embodiment, the TLR is human TLR7. Alternatively, the first nucleic acid may encode any one of the ten human TLRs, any non-human TLR, or any combination of two or more TLRs that may be desirable for a particular construct.

The first nucleic acid sequence, when present, can include a nucleotide sequence that differs from the specific published nucleotide sequence for the TLR encoded by the first nucleic acid sequence. For example, the first nucleic acid sequence can contain one or more substitutions (compared to a published TLR nucleotide sequence) that do not alter the amino acid sequence of the TLR protein expressed from the first nucleic acid sequence. Such a substitution may be termed a degenerate substitution. Nucleotide sequences containing one or more degenerate substitutions compared to a known TLR nucleotide sequence are explicitly included within the scope of nucleotide sequences suitable for use within the first nucleic acid sequence.

10

15

20

5

As another example, certain nucleotide substitutions may alter the amino acid sequence of the TLR protein. For certain amino acid substitutions, however, the chemical properties of the protein having the altered amino acid sequence are similar to the chemical properties of the protein having the native amino acid sequence. Amino acids may be divided into four groups based on the chemical characteristics of the amino acid side groups: neutral, non-polar amino acids include glycine, alanine, valine, isoleucine, leucine, phenylalanine, proline, and methionine; neutral, polar amino acids include serine, threonine, tyrosine, tryptophan, asparagine, glutamine, and cysteine; acidic amino acids include aspartic acid and glutamic acid; and basic amino acids include lysine, arginine, and histidine. Substitution of one amino acid for another amino acid within the same group may have little or no functional effect on the resulting protein because of the similarity of the chemical characteristics of the amino acids involved in the substitution. Such amino acid substitutions may be termed a conservative amino acid substitution. Nucleotide sequences that, when compared to a known TLR nucleotide sequence, generate one or more conservative amino acid substitutions are explicitly included within the scope of nucleotide sequences suitable for use within the first nucleic acid sequence.

25

30

The nucleic acid sequence that encodes a TLR, if present, may be cloned into an expression vector so that it is under the expression control of its own promoter, a homologous TLR promoter, or any heterologous promoter inducible in an appropriate host cell. For example, in certain embodiments, the TLR6 structural gene may be cloned into the commercially available mammalian expression vector pCI-neo. In this case, the TLR6 structural gene may be cloned into the vector's cloning region using the NheI and MluI restrictions sites. In such an embodiment, after transfection of the vector into a

mammalian cell, the TLR6 structural gene is under the transcriptional control of the vector's CMV enhancer/promoter region.

The second nucleic acid sequence encodes a reporter that is capable of generating a detectable signal when expressed in a host cell under conditions appropriate for generating the desired detectable signal. A wide variety of suitable reporter systems are known. For example, luciferase gene expression may generate a detectable luminescent signal under appropriate conditions. As another example, β-galactosidase expression can generate a detectable color change under appropriate conditions. As yet another example, production and secretion of an immune system compound may be detected by an enzymelinked immunosorbent assay (ELISA). These and other reporter systems are known and assays for generating the detectable signals are commercially available.

The second nucleic acid sequence is operably linked to a second expression control sequence that includes a promoter sequence selected to be inducible by activation of a TLR. Thus, expression and activation of a TLR, whether naturally expressed by the recombinant cell or encoded by the first nucleic acid sequence, will induce gene expression from the second expression control sequence, thereby causing expression of the reporter, which may be detected by performing an assay designed to detect expression of the reporter. The second expression control sequence may include any suitable nucleotide sequence that can induce expression (e.g., a promoter) of a structural gene upon activation of the TLR encoded by the first nucleic acid sequence. Nucleotide sequences suitable for use as second expression control sequences include promoter sequences of TLR-inducible genes including but not limited to genes encoding cytokines, chemokines, co-stimulatory markers, and defensins. In certain embodiments, the second expression control sequence includes an IFN-α1 promoter.

25

5

10

15

20

When the reporter system being employed to detect TLR activation includes detecting production and secretion of an immune system compound with an appropriate ELISA assay, the second expression control sequence may include the promoter of the gene encoding the immune system compounds being expressed and detected as the reporter. However, in certain embodiments, it may be desirable to express the immune system compound from a heterologous promoter.

30

When the gene expression system includes both a first nucleic acid sequence and a second nucleic acid sequence, the first nucleic acid sequence and the second nucleic acid

sequence may be contained within a single vector. Alternatively, the first nucleic acid sequence and the second nucleic acid sequence may be on separate vectors and cotransfected into a suitable host cell. In certain embodiments, for example, the first nucleic acid sequence may be cloned into the pCI-neo vector as described above, while the second nucleic acid sequence can be cloned into a reporter vector. One example of a commercially available reporter vector is the pGL3-Enhancer vector, which includes a luciferase reporter gene downstream of a cloning site for cloning a promoter sequence of interest. In some embodiments, the promoter of a TLR-inducible immune system compound may be cloned into the pGL3-Enhancer cloning site. In one such embodiment, the IFN-α promoter may be cloned into the pGL3-Enhancer cloning site.

5

10

15

20

25

30

Suitable host cells include any transfectable cells capable of expressing exogenous mammalian genes. In some embodiments, the host cells may be mammalian cells such as human cells or mouse cells. For example, suitable host cells include human cells or descendants of a human cell including but not limited to Namalwa cells or HEK293 cells. Alternatively, the host cells may be mouse cells or descendants of a mouse cell including but not limited to RAW 264.7 cells.

In one embodiment, the host cells include Namalwa cells. Namalwa cells have certain characteristics that may be particularly desirable for certain embodiments of the present invention. For example, Namalwa cells can include an expressible chromosomal IFN-α gene locus. Thus, upon appropriate stimulation (e.g., viral infection), Namalwa cells can be induced to produce and secrete IFN-α from the chromosomal IFN-α gene locus. However, Namalwa cells do not naturally express certain TLRs (e.g., TLR6, TLR7, or TLR9). Certain agonists of such TLRs have been shown to induce IFN-α expression in other cell types (e.g., PMBCs), but may not induce IFN-α expression in Namalwa cells unless a functional level of TLR expression is provided.

Namalwa cells transfected with an appropriate gene expression system may be capable of expressing a functional level of the TLR provided by the expression system. Thus, Namalwa cells transfected with an appropriate expression system may inducibly express IFN-α as a result of activating the cloned TLR (e.g., by exposure of the transfected Namalwa cells to an agonist). Thus, certain transfected cell lines permit one to identify a TLR agonist using an assay that detects TLR-mediated IFN-α expression by Namalwa cells.

Namalwa cells transfected with certain expression systems can provide alternative means of detecting TLR activation and, therefore, alternate assays for identifying TLR agonists. First, Namalwa cells transfected with an appropriate expression system may generate a detectable signal as a result of TLR-mediated expression of the expression system reporter (see Table 2). Second, Namalwa cells transfected with an expression system that provides functional TLR activity may provide TLR-mediated IFN-α expression from the chromosomal IFN-α gene locus.

Assays

10

15

5

Assays according to the present invention may be performed using any suitable recombinant cell line. The recombinant cell line may be constructed by transfecting any suitable expression system into any suitable host cell. In the description of particular assays that follow, certain assay tools such as particular recombinant cell lines, particular gene expression systems, or particular host cells may be identified. However, many alternative assay tools may provide the features of the tools specifically identified and, consequently, may be suitable for use in assays according to the present invention. Such alternative embodiments are explicitly included in the scope of the present invention.

20

Also, each assay may or may not be performed in conjunction with one or more appropriate controls. Controls may be performed to assist in quantifying results or to ensure that the assay is performing as intended. However, with experience, one skilled in the art may develop sufficient familiarity with a particular assay that performing a control may not always be necessary to perform an assay of the present invention.

25

In some embodiments, assays according to the present invention may be designed to detect activation of a TLR. Such assays include providing a recombinant cell line having an appropriate gene expression system. Generally, an appropriate gene expression system includes a reporter that is (a) capable of generating a detectable signal when the reporter is expressed and the transfected cell is exposed to conditions that are appropriate for generating the detectable signal, and (b) operably linked to an expression control sequence that is capable of being induced by an activated TLR. The assays also include exposing the recombinant cell line to a TLR agonist, thereby activating the TLR and inducing expression of the reporter from the TLR-inducible expression control sequence; providing conditions appropriate for generating the reporter's detectable signal, thereby

30

generating a detectable signal from the expressed reporter; and detecting the detectable signal, thereby detecting activation of the TLR.

In certain embodiments, the expression control sequence to which the reporter is operably linked may be a promoter of a TLR-inducible protein including but not limited to a cytokine, a chemokine, a co-stimulatory marker, or a defensin.

5

10

15

20

25

30

The recombinant cell line may be derived from a host cell that naturally expresses a functional level of one or more TLRs. In such embodiments, the gene expression system is not required to include a nucleic acid sequence that encodes a TLR. However, the gene expression system may include a nucleic acid sequence that encodes a TLR. For such assays, it may be desirable to measure any background level of detectable signal generated by the recombinant cell line before transfection with the nucleic acid sequence that encodes the TLR. In this way, one can obtain an indication of the extent of the detectable signal that is attributable to activation of the TLR expressed from the expression system if such an indication is desired.

When the gene expression system includes a nucleic acid sequence that encodes a TLR, one may select any TLR from any species for inclusion in the expression system. Accordingly, the nucleic acid sequence that encodes the TLR may include any one of the published TLR nucleotide sequences, any nucleotide sequence containing one or more degenerate variants of a published TLR nucleotide sequence, any nucleotide sequence that encodes a published TLR amino acid sequence; or any nucleotide sequence that encodes a protein having one or more conservative amino acid substitutions compared to a published TLR amino acid sequence.

In some embodiments in which the recombinant cell line includes a nucleic acid sequence encoding a TLR, a single vector may contain a first nucleic acid sequence that encodes the reporter and a second nucleic acid sequence that encodes the TLR. Alternatively, the first nucleic acid sequence and the second nucleic acid sequence may exist on separate vectors so that the host cells must be co-transfected with both vectors in order for the recombinant cell line to include entire gene expression system.

The gene expression system may include any suitable reporter operably linked to any suitable TLR-inducible expression control sequence. Suitable reporters are described in the detailed description of the gene expression system included in the description of assay tools provided above.

5

10

15

20

25

30

In one particular embodiment, the recombinant cell line is derived from the human lymphoblastoid Namalwa cell line. Namalwa cells lack a functional level of TLR6 activity. The recombinant cell line is obtained by co-transfecting Namalwa cells with two vectors that, together, provide a gene expression system: the first vector includes a nucleic acid sequence that encodes human TLR6 operably linked to an expression control sequence; the second vector contains a nucleic acid sequence that encodes a luciferase reporter gene that is operably linked to an IFN-α promoter. The IFN-α promoter is inducible by activation of TLR6. A culture of the recombinant cells is contacted with an agonist of TLR6, thereby activating TLR6 that has been expressed from the first vector of gene expression system. The activation of TLR6 induces expression from the IFN-α promoter on the second vector of the gene expression system. Expression from the IFN-a promoter results in expression of the luciferase reporter gene. The recombinant cells, which are now expressing the luciferase reporter, are contacted with a luciferase reagent that generates a luminescent signal when allowed to react with luciferase. Detection of the luminescent signal indicates expression of the luciferase reporter from the IFN-α promoter that, in turn, indicates activation of TLR6.

As indicated above in the detailed description of the assay tools, various suitable reporter systems may be used in alternative embodiments of assays according to the present invention. Also as indicated above, one feature of constructing the recombinant cell line from Namalwa host cells is the cells can produce and secrete IFN-α expressed from the chromosomal IFN-α gene locus of the Namalwa cell. Thus, detection of IFN-α production (e.g., by ELISA) may be used as a reporter of TLR activation. When used in conjunction with a reporter encoded by the gene expression system, the use of two independent reporters may provide certain embodiments of the assays of the present invention with an internal control.

In some alternative embodiments, assays according to the present invention may be designed to identify agonists of a particular TLR. Generally, such assays include providing a recombinant cell line constructed by transfecting host cells with a gene expression system that includes (a) a first nucleic acid sequence that encodes a particular TLR, and (b) a second nucleic acid sequence that encodes a reporter operably linked to an expression control sequence that is inducible by activation of the TLR encoded by the expression system. The assays also include contacting cell cultures of the recombinant

cell line with one or more test compounds, and then exposing the cell cultures to conditions effective for generating a detectable signal from the reporter in the event that the reporter is expressed. Detection of a TLR-mediated detectable signal indicates that expression of the reporter is at least partially attributable to activation of the TLR by the test compound, thereby identifying the test compound as an agonist of the TLR.

5

10

15

20

25

30

As with the assays described above that are designed for detecting TLR activation, assays for detecting TLR agonists include a gene expression system that may include one or more vectors, a nucleic acid sequence that encodes any suitable reporter, and any suitable TLR-inducible expression control sequence. Furthermore, the gene expression system can include a nucleic acid sequence that encodes any particular TLR. Thus, an assay may be designed to identify agonists of any particular TLR.

Detection of a TLR-mediated detectable signal may include a determination of background detectable signal generated by the recombinant cell line prior to transfection with a nucleic acid sequence that encodes a particular TLR. A recombinant cell line may, in some embodiments, naturally possess a certain level of TLR expression that can induce expression of the reporter, thereby generating background signal. Alternatively, background expression of the reporter may result from induction of the expression control sequence that regulates expression of the reporter coming from an alternative (i.e., non-TLR) source. Once a background level of detectable signal is determined for the recombinant cell line, it may not be necessary to determine the background signal generation every time the assay is performed.

In one particular embodiment, the recombinant cell line includes Namalwa cells, cells that lack a functional level of natural TLR6 expression. The recombinant cell line is constructed by co-transfecting Namalwa cells with a gene expression system that includes two vectors: a first vector that includes a first nucleic acid sequence that encodes human TLR6 operably linked to an expression control sequence; and a second vector that includes a second nucleic acid sequence that encodes a luciferase reporter operably linked to an IFN- α promoter. The first nucleic acid sequence permits the recombinant cells to functionally express TLR6. The second nucleic acid sequence allows one to detect activation of the TLR6 expressed from the first nucleic acid sequence.

In this particular embodiment, a culture of the recombinant cells is dispensed into wells of a multi-well test plate. A different test compound is added to each well. A test

compound that acts as a TLR6 agonist will activate the TLR6 expressed from the first vector of the gene expression system, thereby inducing expression from the IFN-α promoter operably linked to the luciferase reporter on the second vector of the gene expression system. The recombinant cells, which are now expressing the luciferase reporter, are contacted with a luciferase reagent that generates a TLR-mediated detectable signal only when the luciferase reporter is expressed. Detection of a TLR-mediated detectable signal in a particular well of the multi-well plate indicates expression of the luciferase reporter from the IFN-α promoter that, in turn, indicates activation of TLR6 by the test compound added to the recombinant cells in that well. A test compound that activates TLR6 is an agonist of TLR6.

5

10

15

20

25

30

Test compounds may be added to wells containing recombinant cells in any manner appropriate for the design of a particular assay. For example, the same test compound may be added to each of a plurality of wells, thereby generating multiple data points for that test compound. Alternatively, a different test compound may be added to each well. In this way, the number of test compounds that can be screened in a single assay can be maximized. In some embodiments, test compound may even be omitted from a certain number of wells, e.g., in order to generate one or more controls.

In another particular embodiment, the assay may be designed to identify agonists of TLR7 by designing the recombinant cell line to include a gene expression system that includes a nucleic acid sequence that encodes human TLR7. In all other respects, the assay may be performed as described above for the detection of TLR6 agonists.

Additional alternative embodiments include assays that are designed to identify agonists of any one of the human TLRs or any non-human TLR merely by designing the gene expression system to include a nucleic acid sequence that encodes the desired TLR.

The present invention also provides TLR agonist compounds identified using an assay according to certain embodiments of the present invention. As described above, the expression systems and recombinant cell lines may provide the ability to design assays that can identify TLR agonists that are not detectable using previously known TLR activation assays. The TLR agonists may include chemical structures similar in certain respects to the chemical structures of known IRM compounds. Alternatively, assays according to the present invention may be used for screening (e.g., high throughput screening) chemically diverse compounds that may lead to the discovery of new TLR

agonists, some of which may contain new chemical core structures capable of activating TLRs.

The present invention also provides pharmaceutical compositions containing a TLR agonist identified using an assay according to the present invention, or a pharmaceutically acceptable salt thereof, in an amount effective for inducing a TLR-mediated cellular response.

In still other embodiments, assays according to the present invention may be designed to identify antagonists of a particular TLR. Generally, an assay may be designed to identify an antagonist of a particular TLR by designing the recombinant cell line to include a gene expression system having (a) a first nucleic acid sequence that encodes a particular TLR, and (b) a second nucleic acid sequence that encodes a reporter operably linked to a TLR-inducible expression control sequence. Aliquots of the recombinant cell line may be dispensed into wells of a multi-well test plate. A different test compound can be added to each well, and then a known agonist of the particular TLR can be added to each well. In such assays, the agonist of the particular TLR will induce expression of the reporter and generation of a detectable signal unless the test compound acts as an antagonist of the particular TLR. Therefore, antagonists of the particular TLR can be identified by detecting wells exhibiting something less than a full TLR-mediated detectable signal.

20

15

5

10

As with the assays described above that are designed for identifying TLR agonists, assays for detecting TLR antagonists include a gene expression system that may include one or more vectors, a nucleic acid sequence that encodes any suitable reporter, any suitable TLR-inducible expression control sequence, and a nucleic acid sequence that encodes any particular TLR. Thus, an assay may be designed to identify antagonists of any particular TLR.

25

In one particular embodiment, an assay that identifies antagonists of human TLR6 may be designed using the recombinant cell line described above for the identification of TLR6 agonists. The recombinant cells are dispensed into the wells of a multi-well test plate. A different test compound is added to each well. A known TLR6 agonist such as any one of the IRM compounds listed in Table 1 can be added to each well.

30

Generation and detection of the TLR-mediated detectable signal can be performed as described above for assays designed to detect TLR activation or identify TLR agonists.

The TLR-mediated detectable signal from each well can be compared to a standard full TLR-mediated detectable signal or to a positive control. Test compounds that inhibit the TLR-mediate detectable signal compared to the standard or the positive control can be identified as antagonists of TLR6.

In alternative embodiments, test compounds may be added to the wells in any desired manner, as described above with regard to assays designed to identify TLR agonists.

5

10

15

20

25

30

Other alternative embodiments include assays designed to identify antagonists of any one of the human TLRs or any non-human TLR. Such alternative embodiments may be performed by designing the gene expression system to include a nucleic acid sequence that encodes the desired TLR.

The present invention also provides TLR antagonist compounds identified using an assay according to certain embodiments of the present invention. As described above, the expression systems and recombinant cell lines may provide the ability to design assays that can identify TLR antagonists that are not detectable using previously known TLR activation assays. The TLR antagonists may include chemical structures similar in certain respects to the chemical structures of known IRM compounds. Alternatively, assays according to the present invention may be used for screening (e.g., high throughput screening) chemically diverse compounds that may lead to the discovery of new TLR antagonists, some of which may contain new chemical core structures capable of activating TLRs.

The present invention also provides pharmaceutical compositions containing a TLR antagonist identified using an assay according to the present invention, or a pharmaceutically acceptable salt thereof, in an amount effective for inhibiting a TLR-mediated cellular response.

Examples

The following examples have been selected merely to further illustrate features, advantages, and other details of the invention. It is to be expressly understood, however, that while the examples serve this purpose, the particular materials and amounts used as well as other conditions and details are not to be construed in a matter that would unduly limit the scope of this invention.

Construction of vectors

The vector pIFN-α1-luc was constructed by inserting BglII sites at both ends of the human IFN-α1 promoter (SEQ ID NO:21). The BglII sites were inserted into the IFN-α1 promoter and the sequence was amplified using the primer pair of SEQ ID NO:22 and SEQ ID NO:23. The amplified IFN-α1 promoter was cloned into the pGL3-Enhancing vector (Promega Corp., Madison, WI) at the BglII site.

The vector pCI-TLR6 was constructed by inserting SEQ ID NO:11 (GenBank Accession No. NM 006068), which includes the human TLR6 coding sequence, into the pCI-neo mammalian expression vector (Promega Corp.) at the vector's NheI and MluI restriction sites.

Transfections

5

10

15

20

25

30

Unless otherwise indicated, all incubations were performed at 37°C with 5% CO₂ at 98% humidity.

Culture medium was prepared from complete RPMI 1640 medium (BioSource International, Inc., Camarillo, CA). Fetal bovine serum (Atlas Biologicals, Inc., Ft. Collins, CO) was added to a final concentration of 7.5% (vol/vol); L-glutamine (BioSource International, Inc.) was added to 5 mM; and sodium pyruvate (BioSource International, Inc.) was added to 1 mM.

Burkitt's Lymphoma lymphoblastoid Namalwa cells (ATCC Accession No. CRL-1432) were grown by incubation in culture medium overnight. Cells were harvested by centrifugation in a tabletop centrifuge (1200 RPM for 5 minutes), and then resuspended in phosphate buffered sucrose to a concentration of 1.3x10⁷ cells per milliliter.

For each transfection, a 750 µL aliquot of the cell suspension was placed in an electroporation cuvette with 4 mm gaps. 10 µg of the pIFN-α1-luc vector and 10 µg of the pCI-TLR6 vector were added to the electroporation cuvette. The cell and vector mixtures were incubated at room temperature for 5 minutes. The cells were electroporated using a BioRad Gene Pulser (BioRad Laboratories, Hercules, CA) set to at 500 µF capacitance and 0.27 volts, then incubated at room temperature for 5 minutes.

The electroporated cells were suspended in 10 mLs of culture medium and incubated overnight. Dead cells and debris were removed after 24 hours using a MACS

Dead Cell Removal kit (Miltenyi Biotec, Auburn, CA). Cells were resuspended in 10 mLs of culture medium and incubated for an additional 24 hours.

Transfected cells were selected by adding G418 (Promega Corp., Madison, WI) to a final concentration of 1 mg/mL and incubating the cells for seven days.

5

Assays

The selected transfected cells were counted and resuspended to a concentration of 1×10^6 cell per mL in culture medium. 100 µl aliquots of cells were placed in the wells of a white-walled, white-bottomed 96-well plate (Corning, Inc. Corning, NY). 1.0 µL of an IRM compound from Table 1 (prepared at 1 mM in 100% DMSO) was added to some cell aliquots so that the final concentration of IRM compound was 10 µM. As a positive control, some cell aliquots were incubated with Sendai virus instead of IRM compound. As a negative control, some cell aliquots were incubated with DMSO without IRM compound. In all cases, the cells were incubated for 18 hours.

15

10

Table 1 - IRM Compounds

Compound	Chemical Name	Citation
IRM 1	4-amino-2-ethoxymethyl-α,α-dimethyl-6,7,8,9-	U.S. 5,352,784
	tetrahydro-1 <i>H</i> -imidazo[4,5- <i>c</i>]quinoline-1-ethanol	Example 91
IRM 2	4-amino- α , α , 2-trimethyl- $1H$ -imidazo[4,5- c] quinoline-	U.S. 5,266,575
	1-ethanol	Example C1
IRM 3	N-[4-(4-amino-2-butyl-1 <i>H</i> -imidazo[4,5- <i>c</i>]quinolin-1-	U.S. 6,331,539
	yl)butyl]methanesulfonamide	Example 6
IRM 4	1-{2-[3-(3-pyridyl)propoxy]ethyl}-1H-imidazo[4,5-	WO 02/46193
	c]quinolin-4-amine	Example 33
IRM 5	2-butyl-1-(2-methylpropyl)-1H-imidazo[4,5-	U.S. 6,194,425
	c][1,5]naphthyridin-4-amine	Example 39
IRM 6	2-butyl-6,7,8,9-tetrahydro-1-(2-methylpropyl)-1H-	U.S. 6,194,425
	imidazo[4,5-c][1,5]naphthyridin-4-amine	Example 40
IRM 7	N^3 -{4-[4-amino-2-(2-methoxyethyl)-1 <i>H</i> -imidazo[4,5	U.S. 6,451,810
	c]quinolin-1-yl]butyl}-6-(1H-1-pyrrolyl)nicotinamide	Example 60
IRM 8	2-ethyl-1-[5-(methylsulfonyl)pentyl]-1H-	WO 02/46192
	imidazo[4,5-c]quinolin-4-amine	Example 13

The plates were equilibrated to room temperature before 1 volume of reconstituted LucLight Plus (Packard Instruments, Meriden, CT) was added to each aliquot of cells. Each well of the plate was read on an LJL Analyst (LJL Biosystems, Inc., Sunnyvale, CA) set with a 5 minute dark adapt. Data from a representative experiment are shown in Table 2. The data are expressed as the fold increase in luciferase induction off of the IFN-al promoter in cell aliquots incubated with the indicated stimulant compared to the negative control in which the cell aliquots were incubated with only DMSO.

Table 2 - TLR Expression by pIFN-α1-luc/pCI-TLR6 Co-Transfected Namalwa cells

Stimulant	Fold Increase in Luciferase Induction
IRM1	3.6
IRM2	2.7
IRM3	2.6
IRM4	4.0
IRM5	3.2
IRM6	2.9
IRM7	3.2
IRM8	2.3
Sendai virus	2.7

5

10

15

20

The complete disclosures of the patents, patent documents, and publications cited herein are incorporated by reference in their entirety as if each were individually incorporated. In case of conflict, the present specification, including definitions, shall control.

Various modifications and alterations to this invention will become apparent to those skilled in the art without departing from the scope and spirit of this invention.

Illustrative embodiments and examples are provided as examples only and are not intended to limit the scope of the present invention. The scope of the invention is limited only by the claims set forth as follows.

What is Claimed is:

5

10

15

1. A method of detecting activation of a TLR in a cell comprising:

providing a cell culture comprising cells transfected with a nucleic acid sequence that encodes a reporter that (a) generates a detectable signal when the reporter is expressed and the cell is exposed to conditions effective for generating the detectable signal, and (b) is operably linked to an expression control sequence that is induced by activation of a TLR and comprises a cytokine promoter, a chemokine promoter, a co-stimulatory marker promoter, or a defensin promoter;

exposing the cell culture to a compound that activates a TLR; providing conditions effective for generating the detectable signal; and detecting the detectable signal.

- 2. The method of claim 1 wherein the expression control sequence comprises an IFN-α promoter.
- 3. The method of claim 1 wherein the detectable signal comprises luciferase activity, β-galactosidase activity, or a positive signal from an enzyme-linked immunosorbent assay.
- 4. The method of claim 1 wherein the cell culture comprises mammalian cells or descendents of a mammalian cell.
 - 5. The culture cell of claim 4 wherein the cell culture comprises human cells or descendents of a human cell.
- The method of claim 1 wherein the cells are further transfected with a second nucleic acid sequence that encodes a TLR operably linked to a second expression control sequence.
- 7. The method of claim 6 wherein the first nucleic acid sequence comprises the nucleotide sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, or a degenerate variant of any of the foregoing.

8. The method of claim 6 wherein the first nucleic acid sequence comprises a nucleotide sequence that encodes a polypeptide having the sequence of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, or any one of the foregoing sequences with one or more conservative amino acid substitutions.

- 9. The method of claim 6 wherein the nucleic acid sequence that encodes the reporter and the second nucleic acid sequence are contained on a single vector.
- 10. The method of claim 6 wherein the nucleic acid sequence that encodes the reporter is contained on a first vector and the second nucleic acid sequence is contained on a second vector.
- 15 11. A method of identifying a TLR agonist comprising:
 providing a cell culture comprising cells transfected with:

5

10

20

25

- a first nucleic acid sequence that comprises a nucleotide sequence that encodes a TLR operably linked to a first expression control sequence and
- a second nucleic acid sequence that encodes a reporter that (a) generates a detectable signal when the reporter is expressed and the transfected cell is exposed to conditions effective for generating the detectable signal, and (b) is operably linked to a second expression control sequence that is induced by activation of a TLR;

contacting the cell culture with a test compound;

- providing conditions effective for generating the detectable signal, thereby generating a TLR-mediated detectable signal; and
- identifying the compound as an agonist of the TLR if a TLR-mediated detectable signal is detected.
- 12. The method of claim 11 wherein the first nucleic acid sequence comprises the nucleotide sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, or a degenerate variant of any of the foregoing.

13. The method of claim 11 wherein the first nucleic acid sequence comprises a nucleotide sequence that encodes a polypeptide having the sequence of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, or any one of the foregoing

- NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, or any one of the foregoing sequences with one or more conservative amino acid substitutions.
 - 14. The method of claim 11 wherein the second expression control sequence comprises an IFN-α promoter.

10

- 15. The method of claim 11 wherein the detectable signal comprises luciferase activity, β -galactosidase activity, or a positive signal from an enzyme-linked immunosorbent assay.
- 16. The method of claim 11 wherein the cell culture comprises mammalian cells or descendents of a mammalian cell.
 - 17. The method of claim 16 wherein the cell culture comprises human cells or descendents of a human cell.

20

- 18. The method of claim 11 wherein the first nucleic acid sequence and the second nucleic acid sequence are included in a single vector.
- 19. The method of claim 11 wherein the first nucleic acid sequence and the second nucleic acid sequence are located on separate vectors.
 - 20. The method of claim 19 wherein the cell culture comprises cells co-transfected with the separate vectors.
- The method of claim 11 wherein the cell culture comprises cells that, prior to transfection with the first nucleic acid sequence, exhibit no detectable function of the Toll-like receptor encoded by the first nucleic acid sequence.

22. The method of claim 11 wherein the second expression control sequence comprises a cytokine promoter, a chemokine promoter, a co-stimulatory marker promoter, or a defensin promoter

5

- 23. A TLR agonist identified by the method of claim 11.
- 24. A pharmaceutical composition comprising a TLR agonist identified by the method of claim 23 or a pharmaceutically acceptable salt thereof.

10

25. A method of identifying an antagonist of a TLR comprising: providing a cell culture that comprises cells transfected with:

a first nucleic acid sequence that comprises a nucleotide sequence that encodes the TLR operably linked to a first expression control sequence, and

15

a second nucleic acid sequence that encodes a reporter that (a) is operably linked to a second expression control sequence that is induced by activation of the TLR, and (b) generates a detectable signal when the reporter is expressed and the transfected cell is exposed to conditions effective for generating the detectable signal;

20

25

contacting the cell culture with an agonist of the TLR and a test compound; providing conditions effective for generating the detectable signal, thereby permitting the cell culture to generate a full TLR-mediated detectable signal in the absence of an antagonist of the TLR;

measuring the detectable signal; and

identifying the compound as an antagonist of the TLR if the detectable signal is less than a full TLR-mediated detectable signal.

- 26. A TLR antagonist identified by the method of claim 25.
- 27. A pharmaceutical composition comprising a TLR antagonist identified by the method of claim 26 or a pharmaceutically acceptable salt thereof.

58183US002.ST25.txt SEQUENCE LISTING

<110> Gupta, Shalley K. Ghosh, Tarun K. Fink, Jason R. <120> Assays Relating to Toll-Like Receptor Activity 58183W0003 <130> <160> 23 <170> PatentIn version 3.2 <210> 1 2832 <211> DNA <213> Homo sapiens <400> 60 acagactgcc aaatggaaca gacaagcagg ttgtcttgtg ttaaagaaaa tgagatatga 120 gtcagttact cccggaggca atgctgctgt tcagctcttg tgtttttgtg gccagggtct 180 tcatgaacac taataggggt accaggccct cttccttgtt agaagaaatc aggataacaa 240 aggtatattg ggcaccccta caaaaggaat ctgtatctgt atcaagatga tctgaagaac 300 agcttctacc tttaggaatg tctagtgttc caaaatgact agcatcttcc attttgccat 360 tatcttcatg ttaatacttc agatcagaat acaattatct gaagaaagtg aatttttagt 420 tgataggtca aaaaacggtc tcatccacgt tcctaaagac ctatcccaga aaacaacaat 480 cttaaatata tcgcaaaatt atatatctga gctttggact tctgacatct tatcactgtc 540 aaaactgagg attttgataa tttctcataa tagaatccag tatcttgata tcagtgtttt 600 caaattcaac caggaattgg aatacttgga tttgtcccac aacaagttgg tgaagatttc 660 ttgccaccct actgtgaacc tcaagcactt ggacctgtca tttaatgcat ttgatgccct 720 gcctatatgc aaagagtttg gcaatatgtc tcaactaaaa tttctggggt tgagcaccac 780 acacttagaa aaatctagtg tgctgccaat tgctcatttg aatatcagca aggtcttgct 840 ggtcttagga gagacttatg gggaaaaaga agaccctgag ggccttcaag actttaacac 900 tgagagtctg cacattgtgt tccccacaga caaagaattc cattttattt tggatgtgtc 960 agtcaagact gtagcaaatc tggaactatc taatatcaaa tgtgtgctag aagataacaa 1020 atgttcttac ttcctaagta ttctggcgaa acttcaaaca aatccaaagt tatcaagtct 1080 taccttaaac aacattgaaa caacttggaa ttctttcatt aggatcctcc agctggtttg 1140 gcatacaact gtatggtatt tctcaatttc aaacgtgaag ctacagggtc agctggactt 1200 cagagatttt gattattctg gcacttcctt gaaggccttg tctatacacc aagttgtcag 1260 cgatgtgttc ggttttccgc aaagttatat ctatgaaatc ttttcgaata tgaacatcaa 1320 aaatttcaca gtgtctggta cacgcatggt ccacatgctt tgcccatcca aaattagccc Page 1

58183US002.ST25.txt

gttcctgcat	ttggattttt	ccaataatct	cttaacagac	acggtttttg	aaaattgtgg	1380
gcaccttact	gagttggaga	cacttatttt	acaaatgaat	caattaaaag	aactttcaaa	1440
aatagctgaa	atgactacac	agatgaagtc	tctgcaacaa	ttggatatta	gccagaattc	1500
tgtaagctat	gatgaaaaga	aaggagactg	ttcttggact	aaaagtttat	taagtttaaa	1560
tatgtcttca	aatatactta	ctgacactat	tttcagatgt	ttacctccca	ggatcaaggt	1620
acttgatctt	cacagcaata	aaataaagag	cattcctaaa	caagtcgtaa	aactggaagc	1680
tttgcaagaa	ctcaatgttg	ctttcaattc	tttaactgac	cttcctggat	gtggcagctt	1740
tagcagcctt	tctgtattga	tcattgatca	caattcagtt	tcccacccat	cagctgattt	1800
cttccagagc	tgccagaaga	tgaggtcaat	aaaagcaggg	gacaatccat	tccaatgtac	1860
ctgtgagcta	ggagaatttg	tcaaaaatat	agaccaagta	tcaagtgaag	tgttagaggg	1920
ctggcctgat	tcttataagt	gtgactaccc	ggaaagttat	agaggaaccc	tactaaagga	1980
ctttcacatg	tctgaattat	cctgcaacat	aactctgctg	atcgtcacca	tcgttgccac	2040
catgctggtg	ttggctgtga	ctgtgacctc	cctctgcatc	tacttggatc	tgccctggta	2100
tctcaggatg	gtgtgccagt	ggacccagac	ccggcgcagg	gccaggaaca	tacccttaga	2160
agaactccaa	agaaatctcc	agtttcatgc	atttatttca	tatagtgggc	acgattcttt	2220
ctgggtgaag	aatgaattat	tgccaaacct	agagaaagaa	ggtatgcaga	tttgccttca	2280
tgagagaaac	tttgttcctg	gcaagagcat	tgtggaaaat	atcatcacct	gcattgagaa	2340
gagttacaag	tccatctttg	ttttgtctcc	caactttgtc	cagagtgaat	ggtgccatta	2400
tgaactctac	tttgcccatc	acaatctctt	tcatgaagga	tctaatagct	taatcctgat	2460
cttgctggaa	cccattccgc	agtactccat	tcctagcagt	tatcacaagc	tcaaaagtct	2520
catggccagg	aggacttatt	tggaatggcc	caaggaaaag	agcaaacgtg	gccttttttg	2580
ggctaactta	agggcagcca	ttaatattaa	gctgacagag	caagcaaaga	aatagattac	2640
acatcaagtg	aaaaatattc	ctcctgttga	tattgctgct	tttggaagtt	ccaacaatga	2700
ctttattttg	catcagcata	gatgtaaaca	caattgtgag	tgtatgatgt	aggtaaaaat	2760
atataccttc	gggtcgcagt	tcaccattta	tatgtggtat	taaaaattaa	tgaaatgata	2820
taactttgat	tt					2832

<210> 2 <211> 786 <212> PRT <213> Homo sapiens <400> 2

Met Thr Ser Ile Phe His Phe Ala Ile Ile Phe Met Leu Ile Leu Gln 10 Page 2

58183US002.ST25.txt

Ile Arg Ile Gln Leu Ser Glu Glu Ser Glu Phe Leu Val Asp Arg Ser 20 25 30

Lys Asn Gly Leu Ile His Val Pro Lys Asp Leu Ser Gln Lys Thr Thr 35 40 45

Ile Leu Asn Ile Ser Gln Asn Tyr Ile Ser Glu Leu Trp Thr Ser Asp 50 ; 60

Ile Leu Ser Leu Ser Lys Leu Arg Ile Leu Ile Ile Ser His Asn Arg 65 70 75 80

Ile Gln Tyr Leu Asp Ile Ser Val Phe Lys Phe Asn Gln Glu Leu Glu 85 90 95

Tyr Leu Asp Leu Ser His Asn Lys Leu Val Lys Ile Ser Cys His Pro 100 105 110

Thr Val Asn Leu Lys His Leu Asp Leu Ser Phe Asn Ala Phe Asp Ala 115 120 125

Leu Pro Ile Cys Lys Glu Phe Gly Asn Met Ser Gln Leu Lys Phe Leu 130 135 140

Gly Leu Ser Thr Thr His Leu Glu Lys Ser Ser Val Leu Pro Ile Ala 145 150 160

His Leu Asn Ile Ser Lys Val Leu Leu Val Leu Gly Glu Thr Tyr Gly 165 170

Glu Lys Glu Asp Pro Glu Gly Leu Gln Asp Phe Asn Thr Glu Ser Leu 180 185 190

His Ile Val Phe Pro Thr Asn Lys Glu Phe His Phe Ile Leu Asp Val

Ser Val Lys Thr Val Ala Asn Leu Glu Leu Ser Asn Ile Lys Cys Val 210 215 220

Leu Glu Asp Asn Lys Cys Ser Tyr Phe Leu Ser Ile Leu Ala Lys Leu 225 230 235 240

Gln Thr Asn Pro Lys Leu Ser Ser Leu Thr Leu Asn Asn Ile Glu Thr 245 250 255

Thr Trp Asn Ser Phe Ile Arg Ile Leu Gln Leu Val Trp His Thr Thr Page 3 58183US002.ST25.txt 265 270

260

Val Trp Tyr Phe Ser Ile Ser Asn Val Lys Leu Gln Gly Gln Leu Asp 275 280 285

Phe Arg Asp Phe Asp Tyr Ser Gly Thr Ser Leu Lys Ala Leu Ser Ile 290 295 300

His Gln Val Val Ser Asp Val Phe Gly Phe Pro Gln Ser Tyr Ile Tyr 305 310 315 320

Glu Ile Phe Ser Asn Met Asn Ile Lys Asn Phe Thr Val Ser Gly Thr 325 330 335

Arg Met Val His Met Leu Cys Pro Ser Lys Ile Ser Pro Phe Leu His 340 345 350

Leu Asp Phe Ser Asn Asn Leu Leu Thr Asp Thr Val Phe Glu Asn Cys 355 360 365

Gly His Leu Thr Glu Leu Glu Thr Leu Ile Leu Gln Met Asn Gln Leu 370 380

Lys Glu Leu Ser Lys Ile Ala Glu Met Thr Thr Gln Met Lys Ser Leu 385 390 395 400

Gln Gln Leu Asp Ile Ser Gln Asn Ser Val Ser Tyr Asp Glu Lys Lys 405 410 415

Gly Asp Cys Ser Trp Thr Lys Ser Leu Leu Ser Leu Asn Met Ser Ser 420 430

Asn Ile Leu Thr Asp Thr Ile Phe Arg Cys Leu Pro Pro Arg Ile Lys 435 440 445

Val Leu Asp Leu His Ser Asn Lys Ile Lys Ser Ile Pro Lys Gln Val 450 460

Val Lys Leu Glu Ala Leu Gln Glu Leu Asn Val Ala Phe Asn Ser Leu 465 470 475 480

Thr Asp Leu Pro Gly Cys Gly Ser Phe Ser Ser Leu Ser Val Leu Ile 485 490 495

Ile Asp His Asn Ser Val Ser His Pro Ser Ala Asp Phe Phe Gln Ser 500 505 510

Page 4

58183US002.ST25.txt Cys Gln Lys Met Arg Ser Ile Lys Ala Gly Asp Asn Pro Phe Gln Cys Thr Cys Glu Leu Gly Glu Phe Val Lys Asn Ile Asp Gln Val Ser Ser 530 535 540 Glu Val Leu Glu Gly Trp Pro Asp Ser Tyr Lys Cys Asp Tyr Pro Glu 545 550 560 Ser Tyr Arg Gly Thr Leu Leu Lys Asp Phe His Met Ser Glu Leu Ser 565 575 Cys Asn Ile Thr Leu Leu Ile Val Thr Ile Val Ala Thr Met Leu Val 580 585 590 Leu Ala Val Thr Val Thr Ser Leu Cys Ile Tyr Leu Asp Leu Pro Trp 595 600 Tyr Leu Arg Met Val Cys Gln Trp Thr Gln Thr Arg Arg Arg Ala Arg 610 615 620 Asn Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu Gln Phe His Ala Phe 625 630 640 635 Ile Ser Tyr Ser Gly His Asp Ser Phe Trp Val Lys Asn Glu Leu Leu 645 655 650 Pro Asn Leu Glu Lys Glu Gly Met Gln Ile Cys Leu His Glu Arg Asn 660 665 Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile Ile Thr Cys Ile Glu Lys Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro Asn Phe Val Gln Ser 690 695 Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His His Asn Leu Phe His

Tyr Ser Ile Pro Ser Ser Tyr His Lys Leu Lys Ser Leu Met Ala Arg
740

Arg Thr Tyr Leu Glu Trp Pro Lys Glu Lys Ser Lys Arg Gly Leu Phe

Glu Gly Ser Asn Ser Leu Ile Leu Ile Leu Leu Glu Pro Ile Pro Gln

Page 5

58183US002.ST25.txt

Trp Ala Asn Leu Arg Ala Ala Ile Asn Ile Lys Leu Thr Glu Gln Ala 770 780

Lys Lys 785

<210> 3 <211> 2621 <212> DNA

<213> Homo sapiens

<400> 60 cagtgtttgg tgttgcaagc aggatccaaa ggagacctat agtgactccc aggagctctt 120 agtgaccaag tgaaggtacc tgtggggctc attgtgccca ttgctctttc actgctttca 180 actggtagtt gtgggttgaa gcactggaca atgccacata ctttgtggat ggtgtgggtc 240 ttgggggtca tcatcagcct ctccaaggaa gaatcctcca atcaggcttc tctgtcttgt 300 gaccgcaatg gtatctgcaa gggcagctca ggatctttaa actccattcc ctcagggctc 360 acagaagctg taaaaagcct tgacctgtcc aacaacagga tcacctacat tagcaacagt 420 gacctacaga ggtgtgtgaa cctccaggct ctggtgctga catccaatgg aattaacaca 480 atagaggaag attcttttc ttccctgggc agtcttgaac atttagactt atcctataat 540 tacttatcta atttatcgtc ttcctggttc aagccccttt cttctttaac attcttaaac ttactgggaa atccttacaa aaccctaggg gaaacatctc ttttttctca tctcacaaaa 600 660 ttgcaaatcc tgagagtggg aaatatggac accttcacta agattcaaag aaaagatttt 720 gctggactta ccttccttga ggaacttgag attgatgctt cagatctaca gagctatgag 780 ccaaaaagtt tgaagtcaat tcagaatgta agtcatctga tccttcatat gaagcagcat 840 attttactgc tggagatttt tgtagatgtt acaagttccg tggaatgttt ggaactgcga 900 gatactgatt tggacacttt ccatttttca gaactatcca ctggtgaaac aaattcattg 960 attaaaaagt ttacatttag aaatgtgaaa atcaccgatg aaagtttgtt tcaggttatg 1020 aaacttttga atcagatttc tggattgtta gaattagagt ttgatgactg tacccttaat 1080 ggagttggta attttagagc atctgataat gacagagtta tagatccagg taaagtggaa 1140 acgttaacaa tccggaggct gcatattcca aggttttact tattttatga tctgagcact 1200 ttatattcac ttacagaaag agttaaaaga atcacagtag aaaacagtaa agtttttctg 1260 gttccttgtt tactttcaca acatttaaaa tcattagaat acttggatct cagtgaaaat 1320 ttgatggttg aagaatactt gaaaaattca gcctgtgagg atgcctggcc ctctctacaa 1380 actttaattt taaggcaaaa tcatttggca tcattggaaa aaaccggaga gactttgctc 1440 actctgaaaa acttgactaa cattgatatc agtaagaata gttttcattc tatgcctgaa

				58183us002.	CT25 +v+		
i	acttgtcagt	ggccagaaaa		ttgaacttat		aatacacagt	1500
(gtaacaggct	gcattcccaa	gacactggaa	attttagatg	ttagcaacaa	caatctcaat	1560
•	ttattttctt	tgaatttgcc	gcaactcaaa	gaactttata	tttccagaaa	taagttgatg	1620
	actctaccag	atgcctccct	cttacccatg	ttactagtat	tgaaaatcag	taggaatgca	1680
,	ataactacgt	tttctaagga	gcaacttgac	tcatttcaca	cactgaagac	tttggaagct	1740
,	ggtggcaata	acttcatttg	ctcctgtgaa	ttcctctcct	tcactcagga	gcagcaagca .	1800
	ctggccaaag	tcttgattga	ttggccagca	aattacctgt	gtgactctcc	atcccatgtg	1860
	cgtggccagc	aggttcagga	tgtccgcctc	tcggtgtcgg	aatgtcacag	gacagcactg	1920
	gtgtctggca	tgtgctgtgc	tctgttcctg	ctgatcctgc	tcacgggggt	cctgtgccac	1980
	cgtttccatg	gcctgtggta	tatgaaaatg	atg <u>tggg</u> cct	ggctccaggc	caaaaggaag	2040
	cccaggaaag	ctcccagcag	gaacatctgc	tatgatgcat	ttgtttctta	cagtgagcgg	2100
	gatgcctact	gggtggagaa	ccttatggtc	caggagctgg	agaacttcaa	tcccccttc	2160
	aagttgtgtc	ttcataagcg	ggacttcatt	cctggcaagt	ggatcattga	caatatcatt	2220
	gactccattg	aaaagagcca	caaaactgtc	tttgtgcttt	ctgaaaactt	tgtgaagagt	2280
	gagtggtgca	agtatgaact	ggacttctcc	catttccgtc	tttttgatga	gaacaatgat	2340
	gctgccattc	tcattcttct	ggagcccatt	gagaaaaaag	ccattcccca	gcgcttctgc	2400
	aagctgcgga	agataatgaa	caccaagacc	tacctggagt	ggcccatgga	cgaggctcag	2460
	cgggaaggat	tttgggtaaa	tctgagagct	gcgataaagt	cctaggttcc	catatttaag	2520
	accagtcttt	gtctagttgg	gatctttatg	tcactagtta	tagttaagtt	cattcagaca	2580
	taattatata	aaaactacgt	ggatgtaccg	tcatttgagg	a		2621

<210> 4 <211> 784 <212> PRT

<400> 4

Met Pro His Thr Leu Trp Met Val Trp Val Leu Gly Val Ile Ile Ser

Leu Ser Lys Glu Glu Ser Ser Asn Gln Ala Ser Leu Ser Cys Asp Arg 20 25 30

Asn Gly Ile Cys Lys Gly Ser Ser Gly Ser Leu Asn Ser Ile Pro Ser 35 40 45

Gly Leu Thr Glu Ala Val Lys Ser Leu Asp Leu Ser Asn Asn Arg Ile

<213> Homo sapiens

58183US002.ST25.txt

Thr Tyr Ile Ser Asn Ser Asp Leu Gln Arg Cys Val Asn Leu Gln Ala 65 70 80

Leu Val Leu Thr Ser Asn Gly Ile Asn Thr Ile Glu Glu Asp Ser Phe 85 90 95

Ser Ser Leu Gly Ser Leu Glu His Leu Asp Leu Ser Tyr Asn Tyr Leu 100 110

Ser Asn Leu Ser Ser Ser Trp Phe Lys Pro Leu Ser Ser Leu Thr Phe 115 120 125

Leu Asn Leu Leu Gly Asn Pro Tyr Lys Thr Leu Gly Glu Thr Ser Leu 130 140

Phe Ser His Leu Thr Lys Leu Gln Ile Leu Arg Val Gly Asn Met Asp 145 150 160

Thr Phe Thr Lys Ile Gln Arg Lys Asp Phe Ala Gly Leu Thr Phe Leu 165 170 175

Glu Glu Leu Glu Ile Asp Ala Ser Asp Leu Gln Ser Tyr Glu Pro Lys 180 185 190

Ser Leu Lys Ser Ile Gln Asn Val Ser His Leu Ile Leu His Met Lys 195 200 205

Gln His Ile Leu Leu Glu Ile Phe Val Asp Val Thr Ser Ser Val 210 215 220

Glu Cys Leu Glu Leu Arg Asp Thr Asp Leu Asp Thr Phe His Phe Ser 235 230 240

Glu Leu Ser Thr Gly Glu Thr Asn Ser Leu Ile Lys Lys Phe Thr Phe 245 250 255

Arg Asn Val Lys Ile Thr Asp Glu Ser Leu Phe Gln Val Met Lys Leu 260 265 270

Leu Asn Gln Ile Ser Gly Leu Leu Glu Leu Glu Phe Asp Asp Cys Thr 275 280 285

Leu Asn Gly Val Gly Asn Phe Arg Ala Ser Asp Asn Asp Arg Val Ile 290 295 300

Asp Pro Gly Lys Val Glu Thr Leu Thr Ile Arg Arg Leu His Ile Pro 305 310 315 320 Page 8

58183US002.ST25.txt

Arg Phe Tyr Leu Phe Tyr Asp Leu Ser Thr Leu Tyr Ser Leu Thr Glu 325 330 335

Arg Val Lys Arg Ile Thr Val Glu Asn Ser Lys Val Phe Leu Val Pro 340 345 350

Cys Leu Leu Ser Gln His Leu Lys Ser Leu Glu Tyr Leu Asp Leu Ser 355 360 365

Glu Asn Leu Met Val Glu Glu Tyr Leu Lys Asn Ser Ala Cys Glu Asp 370 375 380

Ala Trp Pro Ser Leu Gln Thr Leu Ile Leu Arg Gln Asn His Leu Ala 385 390 400

Ser Leu Glu Lys Thr Gly Glu Thr Leu Leu Thr Leu Lys Asn Leu Thr 405 415

Asn Ile Asp Ile Ser Lys Asn Ser Phe His Ser Met Pro Glu Thr Cys 420 425 430

Gln Trp Pro Glu Lys Met Lys Tyr Leu Asn Leu Ser Ser Thr Arg Ile 435 440 445

His Ser Val Thr Gly Cys Ile Pro Lys Thr Leu Glu Ile Leu Asp Val 450 455 460

Ser Asn Asn Leu Asn Leu Phe Ser Leu Asn Leu Pro Gln Leu Lys 465 470 475 480

Glu Leu Tyr Ile Ser Arg Asn Lys Leu Met Thr Leu Pro Asp Ala Ser 485 490 495

Leu Leu Pro Met Leu Leu Val Leu Lys Ile Ser Arg Asn Ala Ile Thr 500 510

Thr Phe Ser Lys Glu Gln Leu Asp Ser Phe His Thr Leu Lys Thr Leu 515 525

Glu Ala Gly Gly Asn Asn Phe Ile Cys Ser Cys Glu Phe Leu Ser Phe 530 540

Thr Gln Glu Gln Gln Ala Leu Ala Lys Val Leu Ile Asp Trp Pro Ala 545 550 560

Asn Tyr Leu Cys Asp Ser Pro Ser His Val Arg Gly Gln Gln Val Gln Page 9

58183US002.ST25.txt 570

570 575

Asp Val Arg Leu Ser Val Ser Glu Cys His Arg Thr Ala Leu Val Ser 580 585 590

565

Gly Met Cys Cys Ala Leu Phe Leu Leu Ile Leu Leu Thr Gly Val Leu 595 . 600 605

Cys His Arg Phe His Gly Leu Trp Tyr Met Lys Met Met Trp Ala Trp 610 620

Leu Gln Ala Lys Arg Lys Pro Arg Lys Ala Pro Ser Arg Asn Ile Cys 635 630 640

Tyr Asp Ala Phe Val Ser Tyr Ser Glu Arg Asp Ala Tyr Trp Val Glu 650 655

Asn Leu Met Val Gln Glu Leu Glu Asn Phe Asn Pro Pro Phe Lys Leu 660 670

Cys Leu His Lys Arg Asp Phe Ile Pro Gly Lys Trp Ile Ile Asp Asn 675 680 685

Ile Ile Asp Ser Ile Glu Lys Ser His Lys Thr Val Phe Val Leu Ser 690 700

Glu Asn Phe Val Lys Ser Glu Trp Cys Lys Tyr Glu Leu Asp Phe Ser 705 710 715 720

His Phe Arg Leu Phe Asp Glu Asn Asn Asp Ala Ala Ile Leu Ile Leu 725 730 735

Leu Glu Pro Ile Glu Lys Lys Ala Ile Pro Gln Arg Phe Cys Lys Leu 740 745 750

Arg Lys Ile Met Asn Thr Lys Thr Tyr Leu Glu Trp Pro Met Asp Glu 755 760 765

Ala Gln Arg Glu Gly Phe Trp Val Asn Leu Arg Ala Ala Ile Lys Ser 770 775 780

<210> 5

<211> 3057

<212> DNA <213> Homo sapiens

<400> 5
cactttcgag agtgccgtct atttgccaca cacttccctg atgaaatgtc tggatttgga

58183US002.ST25.txt ctaaagaaaa aaggaaaggc tagcagtcat ccaacagaat catgagacag actttgcctt 120 gtatctactt ttgggggggc cttttgccct ttgggatgct gtgtgcatcc tccaccacca 180 agtgcactgt tagccatgaa gttgctgact gcagccacct gaagttgact caggtacccg 240 atgatctacc cacaaacata acagtgttga accttaccca taatcaactc agaagattac 300 cagccgccaa cttcacaagg tatagccagc taactagctt ggatgtagga tttaacacca 360 tctcaaaact ggagccagaa ttgtgccaga aacttcccat gttaaaagtt ttgaacctcc 420 agcacaatga gctatctcaa ctttctgata aaacctttgc cttctgcacg aatttgactg 480 aactccatct catgtccaac tcaatccaga aaattaaaaa taatcccttt gtcaagcaga 540 agaatttaat cacattagat ctgtctcata atggcttgtc atctacaaaa ttaggaactc 600 660 aggttcagct ggaaaatctc caagagcttc tattatcaaa caataaaatt caagcgctaa 720 aaagtgaaga actggatatc tttgccaatt catctttaaa aaaattagag ttgtcatcga atcaaattaa agagttttct ccagggtgtt ttcacgcaat tggaagatta tttggcctct 780 840 ttctgaacaa tgtccagctg ggtcccagcc ttacagagaa gctatgtttg gaattagcaa acacaagcat tcggaatctg tctctgagta acagccagct gtccaccacc agcaatacaa 900 960 ctttcttggg actaaagtgg acaaatctca ctatgctcga tctttcctac aacaacttaa atgtggttgg taacgattcc tttgcttggc ttccacaact agaatatttc ttcctagagt 1020 1080 ataataatat acagcatttg ttttctcact ctttgcacgg gcttttcaat gtgaggtacc tgaatttgaa acggtctttt actaaacaaa gtatttccct tgcctcactc cccaagattg 1140 1200 atgatttttc ttttcagtgg ctaaaatgtt tggagcacct taacatggaa gataatgata 1260 ttccaggcat aaaaagcaat atgttcacag gattgataaa cctgaaatac ttaagtctat 1320 ccaactcctt tacaagtttg cgaactttga caaatgaaac atttgtatca cttgctcatt 1380 ctcccttaca catactcaac ctaaccaaga ataaaatctc aaaaatagag agtgatgctt tctcttggtt gggccaccta gaagtacttg acctgggcct taatgaaatt gggcaagaac 1440 1500 tcacaggcca ggaatggaga ggtctagaaa atattttcga aatctatctt tcctacaaca 1560 agtacctgca gctgactagg aactcctttg_ccttggtccc aagccttcaa cgactgatgc 1620 tccgaagggt ggcccttaaa aatgtggata gctctccttc accattccag cctcttcgta 1680 acttgaccat tctggatcta agcaacaaca acatagccaa cataaatgat gacatgttgg 1740 agggtcttga gaaactagaa attctcgatt tgcagcataa caacttagca cggctctgga 1800 aacacgcaaa ccctggtggt cccatttatt tcctaaaggg tctgtctcac ctccacatcc 1860 ttaacttgga gtccaacggc tttgacgaga tcccagttga ggtcttcaag gatttatttg 1920 aactaaagat catcgattta ggattgaata atttaaacac acttccagca tctgtcttta 1980 ataatcaggt gtctctaaag tcattgaacc ttcagaagaa tctcataaca tccgttgaga Page 11

58183US002.ST25.txt

agaaggtttt	cgggccagct	ttcaggaacc	tgactgagtt	agatatgcgc	tttaatccct	2040
ttgattgcac	gtgtgaaagt	attgcctggt	ttgttaattg	gattaacgag	acccatacca	2100
acatccctga	gctgtcaagc	cactaccttt	gcaacactcc	acctcactat	catgggttcc	2160
cagtgagact	ttttgataca	tcatcttgca	aagacagtgc	cccctttgaa	ctctttttca	2220
tgatcaatac	cagtatcctg	ttgattttta	tctttattgt	acttctcatc	cactttgagg	2280
gctggaggat	atctttttat	tggaatgttt	cagtacatcg	agttcttggt	ttcaaagaaa	2340
tagacagaca	gacagaacag	tttgaatatg	cagcatatat	aattcatgcc	tataaagata	2400
aggattgggt	ctgggaacat	ttctcttcaa	tggaaaagga	agaccaatct	ctcaaatttt	2460
gtctggaaga	aagggacttt	gaggcgggtg	tttttgaact	agaagcaatt	gttaacagca	2520
tcaaaagaag	cagaaaaatt	atttttgtta	taacacacca	tctattaaaa	gacccattat	2580
gcaaaagatt	caaggtacat	catgcagttc	aacaagctat	tgaacaaaat	ctggattcca	2640
ttatattggt	tttccttgag	gagattccag	attataaact	gaaccatgca	ctctgtttgc	2700
gaagaggaat	gtttaaatct	cactgcatct	tgaactggcc	agttcagaaa	gaacggatag	2760
gtgcctttcg	tcataaattg	caagtagcac	ttggatccaa	aaactctgta	cattaaattt	2820
atttaaatat	tcaattagca	aaggagaaac	tttctcaatt	taaaaagttc	tatggcaaat	2880
ttaagttttc	cataaaggtg	ttataatttg	tttattcata	tttgtaaatg	attatattct	2940
atcacaatta	catctcttct	aggaaaatgt	gtctccttat	ttcaggccta	tttttgacaa	3000
ttgacttaat	tttacccaaa	ataaaacata	taagcacgta	aaaaaaaaa	aaaaaaa	3057

<210> 6

<400> 6

Met Arg Gln Thr Leu Pro Cys Ile Tyr Phe Trp Gly Gly Leu Leu Pro 10 15

Phe Gly Met Leu Cys Ala Ser Ser Thr Thr Lys Cys Thr Val Ser His 20 25 30

Glu Val Ala Asp Cys Ser His Leu Lys Leu Thr Gln Val Pro Asp Asp 35 40 45

Leu Pro Thr Asn Ile Thr Val Leu Asn Leu Thr His Asn Gln Leu Arg 50 60

Arg Leu Pro Ala Ala Asn Phe Thr Arg Tyr Ser Gln Leu Thr Ser Leu 75 75 80 Page 12

<211> 904 <212> PRT

<213> Homo sapiens

58183US002.ST25.txt

Asp Val Gly Phe Asn Thr Ile Ser Lys Leu Glu Pro Glu Leu Cys Gln 85 90 95

Lys Leu Pro Met Leu Lys Val Leu Asn Leu Gln His Asn Glu Leu Ser 100 105 110

Gln Leu Ser Asp Lys Thr Phe Ala Phe Cys Thr Asn Leu Thr Glu Leu 115 120 ; 125

His Leu Met Ser Asn Ser Ile Gln Lys Ile Lys Asn Asn Pro Phe Val

Lys Gln Lys Asn Leu Ile Thr Leu Asp Leu Ser His Asn Gly Leu Ser 145 150 160

Ser Thr Lys Leu Gly Thr Gln Val Gln Leu Glu Asn Leu Gln Glu Leu 165 170 175

Leu Leu Ser Asn Asn Lys Ile Gln Ala Leu Lys Ser Glu Glu Leu Asp 180 185 190

Ile Phe Ala Asn Ser Ser Leu Lys Lys Leu Glu Leu Ser Ser Asn Gln
195 200 205

Ile Lys Glu Phe Ser Pro Gly Cys Phe His Ala Ile Gly Arg Leu Phe 210 220

Gly Leu Phe Leu Asn Asn Val Gln Leu Gly Pro Ser Leu Thr Glu Lys 235 240

Leu Cys Leu Glu Leu Ala Asn Thr Ser Ile Arg Asn Leu Ser Leu Ser 255

Asn Ser Gln Leu Ser Thr Thr Ser Asn Thr Thr Phe Leu Gly Leu Lys 260 265 270

Trp Thr Asn Leu Thr Met Leu Asp Leu Ser Tyr Asn Asn Leu Asn Val

Val Gly Asn Asp Ser Phe Ala Trp Leu Pro Gln Leu Glu Tyr Phe Phe 290 295 300

Leu Glu Tyr Asn Asn Ile Gln His Leu Phe Ser His Ser Leu His Gly 305 310 320

Leu Phe Asn Val Arg Tyr Leu Asn Leu Lys Arg Ser Phe Thr Lys Gln Page 13

58183US002.ST25.txt 330

335

Ser Ile Ser Leu Ala Ser Leu Pro Lys Ile Asp Asp Phe Ser Phe Gln 340 350

325

Trp Leu Lys Cys Leu Glu His Leu Asn Met Glu Asp Asn Asp Ile Pro 355 360 365

Gly Ile Lys Ser Asn Met Phe Thr Gly Leu Ile Asn Leu Lys Tyr Leu 370 380

Ser Leu Ser Asn Ser Phe Thr Ser Leu Arg Thr Leu Thr Asn Glu Thr 385 390 395 400

Phe Val Ser Leu Ala His Ser Pro Leu His Ile Leu Asn Leu Thr Lys 405 410 415

Asn Lys Ile Ser Lys Ile Glu Ser Asp Ala Phe Ser Trp Leu Gly His 420 425 430

Leu Glu Val Leu Asp Leu Gly Leu Asn Glu Ile Gly Gln Glu Leu Thr 435 440 445

Gly Gln Glu Trp Arg Gly Leu Glu Asn Ile Phe Glu Ile Tyr Leu Ser 450 455 460

Tyr Asn Lys Tyr Leu Gln Leu Thr Arg Asn Ser Phe Ala Leu Val Pro 475 480

Ser Leu Gln Arg Leu Met Leu Arg Arg Val Ala Leu Lys Asn Val Asp 485 490 495

Ser Ser Pro Ser Pro Phe Gln Pro Leu Arg Asn Leu Thr Ile Leu Asp 500 505 510

Leu Ser Asn Asn Ile Ala Asn Ile Asn Asp Asp Met Leu Glu Gly 515 520 525

Leu Glu Lys Leu Glu Ile Leu Asp Leu Gln His Asn Asn Leu Ala Arg 530 535 540

Leu Trp Lys His Ala Asn Pro Gly Gly Pro Ile Tyr Phe Leu Lys Gly 545 550 560

Leu Ser His Leu His Ile Leu Asn Leu Glu Ser Asn Gly Phe Asp Glu 565 575

58183US002.ST25.txt

Ile Pro Val Glu Val Phe Lys Asp Leu Phe Glu Leu Lys Ile Ile Asp
580 585 590

Leu Gly Leu Asn Asn Leu Asn Thr Leu Pro Ala Ser Val Phe Asn Asn 595 600 605

Gln Val Ser Leu Lys Ser Leu Asn Leu Gln Lys Asn Leu Ile Thr Ser 610 620

Val Glu Lys Lys Val Phe Gly Pro Ala Phe Årg Asn Leu Thr Glu Leu 625 630 640

Asp Met Arg Phe Asn Pro Phe Asp Cys Thr Cys Glu Ser Ile Ala Trp 645 650 655

Phe Val Asn Trp Ile Asn Glu Thr His Thr Asn Ile Pro Glu Leu Ser 660 665 670

Ser His Tyr Leu Cys Asn Thr Pro Pro His Tyr His Gly Phe Pro Val 675 680 685

Arg Leu Phe Asp Thr Ser Ser Cys Lys Asp Ser Ala Pro Phe Glu Leu 690 700

Phe Phe Met Ile Asn Thr Ser Ile Leu Leu Ile Phe Ile Phe Ile Val 705 710 715 720

Leu Leu Ile His Phe Glu Gly Trp Arg Ile Ser Phe Tyr Trp Asn Val 725 730 735

Ser Val His Arg Val Leu Gly Phe Lys Glu Ile Asp Arg Gln Thr Glu 740 745 750

Gln Phe Glu Tyr Ala Ala Tyr Ile Ile His Ala Tyr Lys Asp Lys Asp 755 760 765

Trp Val Trp Glu His Phe Ser Ser Met Glu Lys Glu Asp Gln Ser Leu 770 780

Lys Phe Cys Leu Glu Glu Arg Asp Phe Glu Ala Gly Val Phe Glu Leu 785 790 795 800

Glu Ala Ile Val Asn Ser Ile Lys Arg Ser Arg Lys Ile Ile Phe Val 805 810 815

Ile Thr His His Leu Leu Lys Asp Pro Leu Cys Lys Arg Phe Lys Val

58183US002.ST25.txt

His His Ala Val Gln Gln Ala Ile Glu Gln Asn Leu Asp Ser Ile Ile 835 840 845

Leu Val Phe Leu Glu Glu Ile Pro Asp Tyr Lys Leu Asn His Ala Leu 850 860

Cys Leu Arg Arg Gly Met Phe Lys Ser His Cys Ile Leu Asn Trp Pro 875 870 880

Val Gln Lys Glu Arg Ile Gly Ala Phe Arg His Lys Leu Gln Val Ala 885 890 895

Leu Gly Ser Lys Asn Ser Val His

<210> 7 <211> 3811

<212> DNA

<213> Homo sapiens

<400> 7

acagggccac tgctgctcac agaagcagtg aggatgatgc caggatgatg tctgcctcgc 60 gcctggctgg gactctgatc ccagccatgg ccttcctctc ctgcgtgaga ccagaaagct 120 gggagccctg cgtggagact tggccctaaa ccacacagaa gagctggcat gaaacccaga 180 gctttcagac tccggagcct cagcccttca ccccgattcc attgcttctt gctaaatgct 240 gccgttttat cacggaggtg gttcctaata ttacttatca atgcatggag ctgaatttct 300 acaaaatccc cgacaacctc cccttctcaa ccaagaacct ggacctgagc tttaatcccc 360 tgaggcattt aggcagctat agcttcttca gtttcccaga actgcaggtg ctggatttat 420 ccaggtgtga aatccagaca attgaagatg gggcatatca gagcctaagc cacctctcta 480 ccttaatatt gacaggaaac cccatccaga gtttagccct gggagccttt tctggactat 540 caagtttaca gaagctggtg gctgtggaga caaatctagc atctctagag aacttcccca 600 ttggacatct caaaactttg aaagaactta atgtggctca caatcttatc caatctttca 660 aattacctga gtatttttct aatctgacca atctagagca cttggacctt tccagcaaca 720 agattcaaag tatttattgc acagacttgc gggttctaca tcaaatgccc ctactcaatc 780 tctctttaga cctgtccctg aaccctatga actttatcca accaggtgca tttaaagaaa 840 ttaggcttca taagctgact ttaagaaata attttgatag tttaaatgta atgaaaactt 900 gtattcaagg tctggctggt ttagaagtcc atcgtttggt tctgggagaa tttagaaatg 960 aaggaaactt ggaaaagttt gacaaatctg ctctagaggg cctgtgcaat ttgaccattg 1020 aagaattccg attagcatac ttagactact acctcgatga tattattgac ttatttaatt 1080

58183US002.ST25.txt gtttgacaaa tgtttcttca ttttccctgg tgagtgtgac tattgaaagg gtaaaagact 1140 tttcttataa tttcggatgg caacatttag aattagttaa ctgtaaattt ggacagtttc 1200 ccacattgaa actcaaatct ctcaaaaggc ttactttcac ttccaacaaa ggtgggaatg 1260 ctttttcaga agttgatcta ccaagccttg agtttctaga tctcagtaga aatggcttga 1320 gtttcaaagg ttgctgttct caaagtgatt ttgggacaac cagcctaaag tatttagatc 1380 tgagcttcaa tggtgttatt accatgagtt caaacttctt gggcttagaa caactagaac 1440 atctggattt ccagcattcc aatttgaaac aaatgagtga gttttcagta ttcctatcac 1500 tcagaaacct catttacctt gacatttctc atactcacac cagagttgct ttcaatggca 1560 tcttcaatgg cttgtccagt ctcgaagtct tgaaaatggc tggcaattct ttccaggaaa 1620 acttccttcc agatatcttc acagagctga gaaacttgac cttcctggac ctctctcagt 1680 gtcaactgga gcagttgtct ccaacagcat ttaactcact ctccagtctt caggtactaa 1740 atatgagcca caacaacttc ttttcattgg atacgtttcc ttataagtgt ctgaactccc 1800 tccaggttct tgattacagt ctcaatcaca taatgacttc caaaaaacag gaactacagc 1860 attttccaag tagtctagct ttcttaaatc ttactcagaa tgactttgct tgtacttgtg 1920 aacaccagag tttcctgcaa tggatcaagg accagaggca gctcttggtg gaagttgaac 1980 gaatggaatg tgcaacacct tcagataagc agggcatgcc tgtgctgagt ttgaatatca 2040 cctgtcagat gaataagacc atcattggtg tgtcggtcct cagtgtgctt gtagtatctg 2100 ttgtagcagt tctggtctat aagttctatt ttcacctgat gcttcttgct ggctgcataa 2160 agtatggtag aggtgaaaac atctatgatg cctttgttat ctactcaagc caggatgagg 2220 actgggtaag gaatgagcta gtaaagaatt tagaagaagg ggtgcctcca tttcagctct 2280 gccttcacta cagagacttt attcccggtg tggccattgc tgccaacatc atccatgaag 2340 gtttccataa aagccgaaag gtgattgttg tggtgtccca gcacttcatc cagagccgct 2400 ggtgtatctt tgaatatgag attgctcaga cctggcagtt tctgagcagt cgtgctggta 2460 tcatcttcat tgtcctgcag aaggtggaga agaccctgct caggcagcag gtggagctgt 2520 accgccttct cagcaggaac acttacctgg agtgggagga cagtgtcctg gggcggcaca 2580 tcttctggag acgactcaga aaagccctgc tggatggtaa atcatggaat ccagaaggaa 2640 cagtgggtac aggatgcaat tggcaggaag caacatctat ctgaagagga aaaataaaaa 2700 cctcctgagg catttcttgc ccagctgggt ccaacacttg ttcagttaat aagtattaaa 2760 tgctgccaca tgtcaggcct tatgctaagg gtgagtaatt ccatggtgca ctagatatgc 2820 agggctgcta atctcaagga gcttccagtg cagagggaat aaatgctaga ctaaaataca 2880 gagtcttcca ggtgggcatt tcaaccaact cagtcaagga acccatgaca aagaaagtca 2940 tttcaactct tacctcatca agttgaataa agacagagaa aacagaaaga gacattgttc 3000 Page 17

58183US002.ST25.txt

ttttcctgag	tcttttgaat	ggaaattgta	ttatgttata	gccatcataa	aaccattttg	3060
gtagttttga	ctgaactggg	tgttcacttt	ttcctttttg	attgaataca	atttaaattc	3120
tacttgatga	ctgcagtcgt	caaggggctc	ctgatgcaag	atgccccttc	cattttaagt	3180
ctgtctcctt	acagaggtta	aagtctaatg	gctaattcct	aaggaaacct	gattaacaca	3240
tgctcacaac	catcctggtc	attctcgaac	atgttctatt	ttttaactaa	tcacccctga	3300
tatatttta	tttttatata	tccagttttc	attttttac	gtcttgccta	taagctaata	3360
tcataaataa	ggttgtttaa	gacgtgcttc	aaatatccat	attaaccact	atttttcaag	3420
gaagtatgga	aaagtacact	ctgtcacttt	gtcactcgat	gtcattccaa	agttattgcc	3480
tactaagtaa	tgactgtcat	gaaagcagca	ttgaaataat	ttgtttaaag	ggggcactct	3540
tttaaacggg	aagaaaattt	ccgcttcctg	gtcttatcat	ggacaatttg	ggctataggc	3600
atgaaggaag	tgggattacc	tcaggaagtc	accttttctt	gattccagaa	acatatgggc	3660
tgataaaccc	ggggtgacct	catgaaatga	gttgcagcag	atgtttattt	ttttcagaac	3720
aagtgatgtt	tgatggacct	atgaatctat	ttagggagac	acagatggct	gggatccctc	3780
ccctgtaccc	ttctcactga	caggagaact	a			3811

<210> 8 <211> 799

<212> PRT

<213> Homo sapiens

<400> 8

Met Glu Leu Asn Phe Tyr Lys Ile Pro Asp Asn Leu Pro Phe Ser Thr 10 15

Lys Asn Leu Asp Leu Ser Phe Asn Pro Leu Arg His Leu Gly Ser Tyr 20 25 30

Ser Phe Phe Ser Phe Pro Glu Leu Gln Val Leu Asp Leu Ser Arg Cys 45

Glu Ile Gln Thr Ile Glu Asp Gly Ala Tyr Gln Ser Leu Ser His Leu 50 60

Ser Thr Leu Ile Leu Thr Gly Asn Pro Ile Gln Ser Leu Ala Leu Gly 70 75 80

Ala Phe Ser Gly Leu Ser Ser Leu Gln Lys Leu Val Ala Val Glu Thr 85 90 95

Asn Leu Ala Ser Leu Glu Asn Phe Pro Ile Gly His Leu Lys Thr Leu 100 105 110 Page 18

58183US002.ST25.txt

Lys Glu Leu Asn Val Ala His Asn Leu Ile Gln Ser Phe Lys Leu Pro 125 125

Glu Tyr Phe Ser Asn Leu Thr Asn Leu Glu His Leu Asp Leu Ser Ser 130 135 140

Asn Lys Ile Gln Ser Ile Tyr Cys Thr Asp Leu Arg Val Leu His Gln 145 150 155

Met Pro Leu Leu Asn Leu Ser Leu Asp Leu Ser Leu Asn Pro Met Asn 165 170 175

Phe Ile Gln Pro Gly Ala Phe Lys Glu Ile Arg Leu His Lys Leu Thr 180 185 190

Leu Arg Asn Asn Phe Asp Ser Leu Asn Val Met Lys Thr Cys Ile Gln 195 200 205

Gly Leu Ala Gly Leu Glu Val His Arg Leu Val Leu Gly Glu Phe Arg 210 215 220

Asn Glu Gly Asn Leu Glu Lys Phe Asp Lys Ser Ala Leu Glu Gly Leu 235 235 240

Cys Asn Leu Thr Ile Glu Glu Phe Arg Leu Ala Tyr Leu Asp Tyr Tyr 245 250 255

Leu Asp Asp Ile Ile Asp Leu Phe Asn Cys Leu Thr Asn Val Ser Ser 260 270

Phe Ser Leu Val Ser Val Thr Ile Glu Arg Val Lys Asp Phe Ser Tyr 275 280 285

Asn Phe Gly Trp Gln His Leu Glu Leu Val Asn Cys Lys Phe Gly Gln 290 300

Phe Pro Thr Leu Lys Leu Lys Ser Leu Lys Arg Leu Thr Phe Thr Ser 305 310 315

Asn Lys Gly Gly Asn Ala Phe Ser Glu Val Asp Leu Pro Ser Leu Glu 335

Phe Leu Asp Leu Ser Arg Asn Gly Leu Ser Phe Lys Gly Cys Cys Ser 340 350

Gln Ser Asp Phe Gly Thr Thr Ser Leu Lys Tyr Leu Asp Leu Ser Phe Page 19 355 58183US002.ST25.txt 360 365

Asn Gly Val Ile Thr Met Ser Ser Asn Phe Leu Gly Leu Glu Gln Leu 370 380

Glu His Leu Asp Phe Gln His Ser Asn Leu Lys Gln Met Ser Glu Phe 385 390 395

Ser Val Phe Leu Ser Leu Arg Asn Leu Ile Tyr Leu Asp Ile Ser His 405 415

Thr His Thr Arg Val Ala Phe Asn Gly Ile Phe Asn Gly Leu Ser Ser 420 425 430

Leu Glu Val Leu Lys Met Ala Gly Asn Ser Phe Gln Glu Asn Phe Leu 435 440 445

Pro Asp Ile Phe Thr Glu Leu Arg Asn Leu Thr Phe Leu Asp Leu Ser 450 455

Gln Cys Gln Leu Glu Gln Leu Ser Pro Thr Ala Phe Asn Ser Leu Ser 470 475 480

Ser Leu Gln Val Leu Asn Met Ser His Asn Asn Phe Phe Ser Leu Asp 485 490 495

Thr Phe Pro Tyr Lys Cys Leu Asn Ser Leu Gln Val Leu Asp Tyr Ser 500 510

Leu Asn His Ile Met Thr Ser Lys Lys Gln Glu Leu Gln His Phe Pro 515 520 525

Ser Ser Leu Ala Phe Leu Asn Leu Thr Gln Asn Asp Phe Ala Cys Thr 530 540

Cys Glu His Gln Ser Phe Leu Gln Trp Ile Lys Asp Gln Arg Gln Leu 545 550 560

Leu Val Glu Val Glu Arg Met Glu Cys Ala Thr Pro Ser Asp Lys Gln 565 570 575

Gly Met Pro Val Leu Ser Leu Asn Ile Thr Cys Gln Met Asn Lys Thr 580 585 590

Ile Ile Gly Val Ser Val Leu Ser Val Leu Val Val Ser Val Val Ala 595 605

		_					•	581	.83us	5002.	ST25	.txt				
Val	Leu 610	Val	Tyr	Lys	Phe	Tyr 615	Phe	His	Leu	Met	Leu 620	Leu	Ala	Gly	Cys	
Ile 625	Lys	Туг	Gly	Arg	G]y 630	Glu	Asn	Ile	Tyr	Asp 635	Ala	Phe	Val	Ile	Tyr 640	
ser	Ser	Gln	Asp	Glu 645	Asp	Trp	Va1	Arg	Asn 650	Glu	Leu	Val	Lys	Asn 655	Leu	
Glu	Glu	Gly	Val 660	Pro	Pro	Phe	Gln	Leu 665	Cys	Leu	His	Tyr	Arg 670	Asp	Phe	
Ile	Pro	Gly 675	Val	Ala	Ile	Ala	Ala 680	Aśn	Ile	Ile	His	G]u 685	Gly	Phe	His	
Lys	Ser 690	Arg	Lys	val	Ile	va1 695	Val	Val	Ser	Gln	ніs 700	Phe	Ile	Gln	Ser	
Arg 705	Trp	Cys	Ile	Phe	Glu 710	Tyr	Glu	Ile	Ala	G]n 715	Thr	Trp	Gln	Phe	Leu 720	
Ser	Ser	Arg	Ala	Gly 725	Ile	Ile	Phe	Ile	Val 730	Leu	Gln	Lys	Val	Glu 735	Lys	
Thr	Leu	Leu	Arg 740	Gln	Gln	Val	Glu	Leu 745	Tyr	Arg	Leu	Leu	Ser 750	Arg	Asn	
Thr	Tyr	Leu 755	Glu	Trp	Glu	Asp	Ser 760	Va1	Leu	Gly	Arg	His 765	Ile	Phe	Trp	
Arg	Arg 770	Leu	Arg	Lys	Ala	Leu 775	Leu	Asp	Gly	Lys	Ser 780	Trp	Asn	Pro	Glu	
Gly 785	Thr	Val	Gly	Thr	Gly 790	Cys	Asn	Trp	Gln	G]u 795	Ala	Thr	Ser	Ile		
<210 <211 <212 <213	> 1 > D	261 NA	sapi	ens												
<400	_		++++	a aaa	0 20	+++-	ند د م به									
															actat	
															gcctc tcctg	
															tcctg gtgtc	
															gtgtc attgg	
									Pa	age 2	21		_		- 99	

58183US002.ST25.txt

cttaatcaca	ccaatgtcac	tatagctggg	cctcctgcag	acatatattg	tgtgtaccct	360
gactcgttct	ctggggtttc	cctcttctct	ctttccacgg	aaggttgtga	tgaagaggaa	420
gtcttaaagt	ccctaaagtt	ctcccttttc	attgtatgca	ctgtcactct	gactctgttc	480
ctcatgacca	tcctcacagt	cacaaagttc	cggggcttct	gttttatctg	ttataagaca	540
gcccagagac	tggtgttcaa	ggaccatccc	cagggcacag	aacctgatat	gtacaaatat	600
gatgcctatt	tgtgcttcag	cagcaaagac	ttcacatggg	tgcagaatgc	tttgctcaaa	660
cacctggaca	ctcaatacag	tgaccaaaac	agattcaacc	tgtgctttga	agaaagagac	720
tttgtcccag	gagaaaaccg	cattgccaat	atccaggatg	ccatctggaa	cagtagaaag	780
atcgtttgtc	ttgtgagcag	acacttcctt	agagatggct	ggtgccttga	agccttcagt	840
tatgcccagg	gcaggtgctt	atctgacctt	aacagtgctc	tcatcatggt	ggtggttggg	900
tccttgtccc	agtaccagtt	gatgaaacat	caatccatca	gaggctttgt	acagaaacag	960
cagtatttga	ggtggcctga	ggatctccag	gatgttggct	ggtttcttca	taaactctct	1020
caacagatac	taaagaaaga	aaaagaaaag	aagaaagaca	ataacattcc	gttgcaaact	1080
gtagcaacca	tctcctaatc	aaaggagcaa	tttccaactt	atctcaagcc	acaaataact	1140
cttcactttg	tatttgcacc	aagttatcat	tttggggtcc	tctctggagg	tttttttt	1200
ctttttgcta	ctatgaaaac	aacataaatc	tctcaatttt	cgtatcaaaa	aaaaaaaaa	1260
a						1261

¹⁰ 204 <210>

<400> 10

Met Thr Ile Leu Thr Val Thr Lys Phe Arg Gly Phe Cys Phe Ile Cys 10 15

Tyr Lys Thr Ala Gln Arg Leu Val Phe Lys Asp His Pro Gln Gly Thr 20 25 30

Glu Pro Asp Met Tyr Lys Tyr Asp Ala Tyr Leu Cys Phe Ser Ser Lys 40 45

Asp Phe Thr Trp Val Gln Asn Ala Leu Leu Lys His Leu Asp Thr Gln 50 60

Tyr Ser Asp Gln Asn Arg Phe Asn Leu Cys Phe Glu Glu Arg Asp Phe 65 70 75 80

<212> PRT

<213> Homo sapiens

Val Pro Gly Glu Asn Arg Ile Ala Asn Ile Gln Asp Ala Ile Trp Asn 85 90 95

Ser Arg Lys Ile Val Cys Leu Val Ser Arg His Phe Leu Arg Asp Gly 100 105

Trp Cys Leu Glu Ala Phe Ser Tyr Ala Gln Gly Arg Cys Leu Ser Asp 115 120 125

Leu Asn Ser Ala Leu Ile Met Val Val Val Gly Ser Leu Ser Gln Tyr 130 140

Gln Leu Met Lys His Gln Ser Ile Arg Gly Phe Val Gln Lys Gln Gln 145 150 160

Tyr Leu Arg Trp Pro Glu Asp Leu Gln Asp Val Gly Trp Phe Leu His 165 . 170 . 175

Lys Leu Ser Gln Gln Ile Leu Lys Lys Glu Lys Glu Lys Lys Asp 180 185 190

Asn Asn Ile Pro Leu Gln Thr Val Ala Thr Ile Ser 195 200

<210> 11

<211> 2753

<212> DNA

<213> Homo sapiens

<400> 11

agaatttgga ctcatatcaa gatgctctga agaagaacaa ccctttagga tagccactgc 60 aacatcatga ccaaagacaa agaacctatt gttaaaagct tccattttgt ttgccttatg 120 atcataatag ttggaaccag aatccagttc tccgacggaa atgaatttgc agtagacaag 180 tcaaaaagag gtcttattca tgttccaaaa gacctaccgc tgaaaaccaa agtcttagat 240 atgtctcaga actacatcgc tgagcttcag gtctctgaca tgagctttct atcagagttg 300 acagttttga gactttccca taacagaatc cagctacttg atttaagtgt tttcaagttc 360 aaccaggatt tagaatattt ggatttatct cataatcagt tgcaaaagat atcctgccat 420 cctattgtga gtttcaggca tttagatctc tcattcaatg atttcaaggc cctgcccatc 480 tgtaaggaat ttggcaactt atcacaactg aatttcttgg gattgagtgc tatgaagctg 540 caaaaattag atttgctgcc aattgctcac ttgcatctaa gttatatcct tctggattta 600 agaaattatt atataaaaga aaatgagaca gaaagtctac aaattctgaa tgcaaaaacc 660 cttcaccttg tttttcaccc aactagttta ttcgctatcc aagtgaacat atcagttaat 720 actttagggt gcttacaact gactaatatt aaattgaatg atgacaactg tcaagttttc 780 Page 23

58183US002.ST25.txt

attaaattt	tatcagaact	caccagaggt	tcaaccttac	tgaattttac	cctcaaccac	840
atagaaacga	cttggaaatg	cctggtcaga	gtctttcaat	ttctttggcc	caaacctgtg	900
gaatatctca	ı atatttacaa	tttaacaata	attgaaagca	ttcgtgaaga	agattttact	960
tattctaaaa	cgacattgaa	agcattgaca	atagaacata	tcacgaacca	agtttttctg	1020
ttttcacaga	cagctttgta	caccgtgttt	tctgagatga	acattatgat	gttaaccatt	1080
tcagatacac	cttttataca	catgctgtgt	cctcatgcac	caagcacatt	caagtttttg	1140
aactttacco	agaacgtttt	cacagatagt	atttttgaaa	aatgttccac	gttagttaaa	1200
ttggagacac	ttatcttaca	aaaaaatgga	ttaaaagacc	ttttcaaagt	aggtctcatg	1260
acgaaggata	tgccttcttt	ggaaatactg	gatgttagct	ggaattcttt	ggaatctggt	1320
agacataaag	aaaactgcac	ttgggttgag	agtatagtgg	tgttaaattt	gtcttcaaat	1380
atgcttactg	actctgtttt	cagatgttta	cctcccagga	tcaaggtact	tgatcttcac	1440
agcaataaaa	taaagagcgt	tcctaaacaa	gtcgtaaaac	tggaagcttt	gcaagaactc	1500
aatgttgctt	tcaattcttt	aactgacctt	cctggatgtg	gcagctttag	cagcctttct	1560
gtattgatca	ttgatcacaa	ttcagtttcc	cacccatcgg	ctgatttctt	ccagagctgc	1620
cagaagatga	ggtcaataaa	agcaggggac	aatccattcc	aatgtacctg	tgagctaaga	1680
gaatttgtca	aaaatataga	ccaagtatca	agtgaagtgt	tagagggctg	gcctgattct	1740
tataagtgtg	actacccaga	aagttataga	ggaagcccac	taaaggactt	tcacatgtct	1800
gaattatcct	gcaacataac	tctgctgatc	gtcaccatcg	gtgccaccat	gctggtgttg	1860
gctgtgactg	tgacctccct	ctgcatctac	ttggatctgc	cctggtatct	caggatggtg	1920
tgccagtgga	cccagactcg	gcgcagggcc	aggaacatac	ccttagaaga	actccaaaga	1980
aacctccagt	ttcatgcttt	tatttcatat	agtgaacatg	attctgcctg	ggtgaaaagt	2040
gaattggtac	cttacctaga	aaaagaagat	atacagattt	gtcttcatga	gaggaacttt	2100
gtccctggca	agagcattgt	ggaaaatatc	atcaactgca	ttgagaagag	ttacaagtcc	2160
atctttgttt	tgtctcccaa	ctttgtccag	agtgagtggt	gccattacga	actctatttt	2220
gcccatcaca	atctctttca	tgaaggatct	aataacttaa	tcctcatctt	actggaaccc	2280
attccacaga	acagcattcc	caacaagtac	cacaagctga	aggctctcat	gacgcagcgg	2340
acttatttgc	agtggcccaa	ggagaaaagc	aaacgtgggc	tcttttgggc	taacattaga	2400
gccgctttta	atatgaaatt	aacactagtc	actgaaaaca	atgatgtgaa	atcttaaaaa	2460
aatttaggaa	attcaactta	agaaaccatt	atttacttgg	atgatggtga	atagtacagt	2520
cgtaagtaac	tgtctggagg	tgcctccatt	atcctcatgc	cttcaggaaa	gacttaacaa	2580
aaacaatgtt	tcatctgggg	aactgagcta	ggcggtgagg	ttagcctgcc	agttagagac	2640

agcccagtct cttctggttt aatcattatg tttcaaattg aaacagtctc ttttgagtaa 2700 atgctcagtt tttcagctcc tctccactct gctttcccaa atggattctg ttg 2753

<210> 12

<211> 796

<212> PRT

<213> Homo sapiens

<400> 12

Met Thr Lys Asp Lys Glu Pro Ile Val Lys Ser Phe His Phe Val Cys
10 15

Leu Met Ile Ile Val Gly Thr Arg Ile Gln Phe Ser Asp Gly Asn 20 25 30

Glu Phe Ala Val Asp Lys Ser Lys Arg Gly Leu Ile His Val Pro Lys
40
45

Asp Leu Pro Leu Lys Thr Lys Val Leu Asp Met Ser Gln Asn Tyr Ile 50 60

Ala Glu Leu Gln Val Ser Asp Met Ser Phe Leu Ser Glu Leu Thr Val 75 75 80

Leu Arg Leu Ser His Asn Arg Ile Gln Leu Leu Asp Leu Ser Val Phe 85 90 95

Lys Phe Asn Gln Asp Leu Glu Tyr Leu Asp Leu Ser His Asn Gln Leu 100 105 110

Gln Lys Ile Ser Cys His Pro Ile Val Ser Phe Arg His Leu Asp Leu 115 120 125

Ser Phe Asn Asp Phe Lys Ala Leu Pro Ile Cys Lys Glu Phe Gly Asn 130 140

Leu Ser Gln Leu Asn Phe Leu Gly Leu Ser Ala Met Lys Leu Gln Lys 150 155 160

Leu Asp Leu Leu Pro Ile Ala His Leu His Leu Ser Tyr Ile Leu Leu 165 170 175

Asp Leu Arg Asn Tyr Tyr Ile Lys Glu Asn Glu Thr Glu Ser Leu Gln
180 185

Ile Leu Asn Ala Lys Thr Leu His Leu Val Phe His Pro Thr Ser Leu 195 200 205

Page 25

58183US002.ST25.txt

Phe Ala Ile Gln Val Asn Ile Ser Val Asn Thr Leu Gly Cys Leu Gln 210 220

Leu Thr Asn Ile Lys Leu Asn Asp Asp Asn Cys Gln Val Phe Ile Lys 235 230 235

Phe Leu Ser Glu Leu Thr Arg Gly Ser Thr Leu Leu Asn Phe Thr Leu 245 250 255

Asn His Ile Glu Thr Thr Trp Lys Cys Leu Val Arg Val Phe Gln Phe 260 265 270

Leu Trp Pro Lys Pro Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile 275 280 . 285

Ile Glu Ser Ile Arg Glu Glu Asp Phe Thr Tyr Ser Lys Thr Thr Leu 290 295 300

Lys Ala Leu Thr Ile Glu His Ile Thr Asn Gln Val Phe Leu Phe Ser 305 310 315

Gln Thr Ala Leu Tyr Thr Val Phe Ser Glu Met Asn Ile Met Met Leu 325 330 335

Thr Ile Ser Asp Thr Pro Phe Ile His Met Leu Cys Pro His Ala Pro 340 350

Ser Thr Phe Lys Phe Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser 355 360 365

Ile Phe Glu Lys Cys Ser Thr Leu Val Lys Leu Glu Thr Leu Ile Leu 370 380

Gln Lys Asn Gly Leu Lys Asp Leu Phe Lys Val Gly Leu Met Thr Lys 385 390 400

Asp Met Pro Ser Leu Glu Ile Leu Asp Val Ser Trp Asn Ser Leu Glu 405 410 415

Ser Gly Arg His Lys Glu Asn Cys Thr Trp Val Glu Ser Ile Val Val 420 425 430

Leu Asn Leu Ser Ser Asn Met Leu Thr Asp Ser Val Phe Arg Cys Leu 435 440 445

Pro Pro Arg Ile Lys Val Leu Asp Leu His Ser Asn Lys Ile Lys Ser 450 455 460 Page 26

58183US002.ST25.txt

Val Pro Lys Gln Val Val Lys Leu Glu Ala Leu Gln Glu Leu Asn Val 465 , 470 480

Ala Phe Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ser Phe Ser Ser 485 490 495

Leu Ser Val Leu Ile Ile Asp His Asn Ser Val Ser His Pro Ser Ala 500 510

Asp Phe Phe Gln Ser Cys Gln Lys Met Arg Ser Ile Lys Ala Gly Asp 515 520 525

Asn Pro Phe Gln Cys Thr Cys Glu Leu Arg Glu Phe Val Lys Asn Ile 530 540

Asp Gln Val Ser Ser Glu Val Leu Glu Gly Trp Pro Asp Ser Tyr Lys 545 550 550

Cys Asp Tyr Pro Glu Ser Tyr Arg Gly Ser Pro Leu Lys Asp Phe His 565

Met Ser Glu Leu Ser Cys Asn Ile Thr Leu Leu Ile Val Thr Ile Gly 580 585

Ala Thr Met Leu Val Leu Ala Val Thr Val Thr Ser Leu Cys Ile Tyr 595 600

Leu Asp Leu Pro Trp Tyr Leu Arg Met Val Cys Gln Trp Thr Gln Thr 610 620

Arg Arg Ala Arg Asn Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu 625 630 635

Gln Phe His Ala Phe Ile Ser Tyr Ser Glu His Asp Ser Ala Trp Val 645 650 655

Lys Ser Glu Leu Val Pro Tyr Leu Glu Lys Glu Asp Ile Gln Ile Cys 660 670

Leu His Glu Arg Asn Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile 675 680 685

Ile Asn Cys Ile Glu Lys Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro 690 700

Asn Phe Val Gln Ser Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His Page 27

58183US002.ST25.txt 705 710 715 720 His Asn Leu Phe His Glu Gly Ser Asn Asn Leu Ile Leu Leu Leu 725 Glu Pro Ile Pro Gln Asn Ser Ile Pro Asn Lys Tyr His Lys Leu Lys Ala Leu Met Thr Gln Arg Thr Tyr Leu Gln Trp Pro Lys Glu Lys Ser 755 760 Lys Arg Gly Leu Phe Trp Ala Asn Ile Arg Ala Ala Phe Asn Met Lys 775 Leu Thr Leu Val Thr Glu Asn Asn Asp Val Lys Ser 785 <210> 13 5007 DNA <213> Homo sapiens <400> 13 actccagata taggatcact ccatgccatc aagaaagttg atgctattgg gcccatctca 60 agctgatctt ggcacctctc atgctctgct ctcttcaacc agacctctac attccatttt 120 ggaagaagac taaaaatggt gtttccaatg tggacactga agagacaaat tcttatcctt 180 tttaacataa tcctaatttc caaactcctt ggggctagat ggtttcctaa aactctgccc 240 tgtgatgtca ctctggatgt tccaaagaac catgtgatcg tggactgcac agacaagcat 300 ttgacagaaa ttcctggagg tattcccacg aacaccacga acctcaccct caccattaac 360 cacataccag acatctcccc agcgtccttt cacagactgg accatctggt agagatcgat 420 ttcagatgca actgtgtacc tattccactg gggtcaaaaa acaacatgtg catcaagagg 480 ctgcagatta aacccagaag ctttagtgga ctcacttatt taaaatccct ttacctggat 540 ggaaaccagc tactagagat accgcagggc ctcccgccta gcttacagct tctcagcctt 600 gaggccaaca acatctttc catcagaaaa gagaatctaa cagaactggc caacatagaa 660 atactctacc tgggccaaaa ctgttattat cgaaatcctt gttatgtttc atattcaata 720 gagaaagatg ccttcctaaa cttgacaaag ttaaaagtgc tctccctgaa agataacaat 780 gtcacagccg tccctactgt tttgccatct actttaacag aactatatct ctacaacaac 840 atgattgcaa aaatccaaga agatgatttt aataacctca accaattaca aattcttgac 900 ctaagtggaa attgccctcg ttgttataat gccccatttc cttgtgcgcc gtgtaaaaat 960 aattctcccc tacagatccc tgtaaatgct tttgatgcgc tgacagaatt aaaagtttta 1020

58183US002.ST25.txt cgtctacaca gtaactctct tcagcatgtg cccccaagat ggtttaagaa catcaacaaa 1080 ctccaggaac tggatctgtc ccaaaacttc ttggccaaag aaattgggga tgctaaattt 1140 ctgcattttc tccccagcct catccaattg gatctgtctt tcaattttga acttcaggtc 1200 tatcgtgcat ctatgaatct atcacaagca ttttcttcac tgaaaagcct gaaaattctg 1260 cggatcagag gatatgtctt taaagagttg aaaagcttta acctctcgcc attacataat 1320 cttcaaaatc ttgaagttct tgatcttggc actaacttta taaaaattgc taacctcagc 1380 atgtttaaac aatttaaaag actgaaagtc atagatcttt cagtgaataa aatatcacct 1440 tcaggagatt caagtgaagt tggcttctgc tcaaatgcca gaacttctgt agaaagttat 1500 gaaccccagg tcctggaaca attacattat ttcagatatg ataagtatgc aaggagttgc 1560 agattcaaaa acaaagaggc ttctttcatg tctgttaatg aaagctgcta caagtatggg 1620 cagaccttgg atctaagtaa aaatagtata ttttttgtca agtcctctga ttttcagcat 1680 ctttctttcc tcaaatgcct gaatctgtca ggaaatctca ttagccaaac tcttaatggc 1740 agtgaattcc aacctttagc agagctgaga tatttggact tctccaacaa ccggcttgat 1800 ttactccatt caacagcatt tgaagagctt cacaaactgg aagttctgga tataagcagt 1860 aatagccatt attttcaatc agaaggaatt actcatatgc taaactttac caagaaccta 1920 aaggttctgc agaaactgat gatgaacgac aatgacatct cttcctccac cagcaggacc 1980 atggagagtg agtctcttag aactctggaa ttcagaggaa atcacttaga tgttttatgg 2040 agagaaggtg ataacagata cttacaatta ttcaagaatc tgctaaaatt agaggaatta 2100 gacatctcta aaaattccct aagtttcttg ccttctggag tttttgatgg tatgcctcca 2160 aatctaaaga atctctcttt ggccaaaaat gggctcaaat ctttcagttg gaagaaactc 2220 cagtgtctaa agaacctgga aactttggac ctcagccaca accaactgac cactgtccct 2280 gagagattat ccaactgttc cagaagcctc aagaatctga ttcttaagaa taatcaaatc 2340 aggagtctga cgaagtattt tctacaagat gccttccagt tgcgatatct ggatctcagc 2400 tcaaataaaa tccagatgat ccaaaagacc agcttcccag aaaatgtcct caacaatctg 2460 aagatgttgc ttttgcatca taatcggttt ctgtgcacct gtgatgctgt gtggtttgtc 2520 tggtgggtta accatacgga ggtgactatt ccttacctgg ccacagatgt gacttgtgtg 2580 gggccaggag cacacaaggg ccaaagtgtg atctccctgg atctgtacac ctgtgagtta 2640 gatctgacta acctgattct gttctcactt tccatatctg tatctctctt tctcatggtg 2700 atgatgacag caagtcacct ctatttctgg gatgtgtggt atatttacca tttctgtaag 2760 gccaagataa aggggtatca gcgtctaata tcaccagact gttgctatga tgcttttatt 2820 gtgtatgaca ctaaagaccc agctgtgacc gagtgggttt tggctgagct ggtggccaaa 2880 ctggaagacc caagagagaa acattttaat ttatgtctcg aggaaaggga ctggttacca 2940 Page 29

58183US002.ST25.txt

•						
gggcagccag	ttctggaaaa	cctttcccag	agcatacagc	ttagcaaaaa	gacagtgttt	3000
gtgatgacag	acaagtatgc	aaagactgaa	aattttaaga	tagcatttta	cttgtcccat	3060
cagaggctca	tggatgaaaa	agttgatgtg	attatcttga	tatttcttga	gaagcccttt	3120
cagaagtcca	agttcctcca	gctccggaaa	aggctctgtg	ggagttctgt	ccttgagtgg	3180
ccaacaaacc	cgcaagctca	cccatacttc	tggcagtgtc	taaagaacgc	cctggccaca	3240
gacaatcatg	tggcctatag	tcaggtgttc	aaggaaacgg	tctagccctt	ctttgcaaaa	3300
cacaactgcc	tagtttacca	aggagaggcc	tggctgttta	aattgttttc	atatatatca	3360
caccaaaagc	gtgttttgaa	attcttcaag	aaatgagatt	gcccatattt	caggggagcc	3420
accaacgtct	gtcacaggag	ttggaaagat	ggggtttata	taatgcatca	agtcttcttt	3480
cttatctctc	tgtgtctcta	tttgcacttg	agtctctcac	ctcagctcct	gtaaaagagt	3540
ggcaagtaaa	aaacatgggg	ctctgattct	cctgtaattg	tgataattaa	atatacacac	3600
aatcatgaca	ttgagaagaa	ctgcatttct	acccttaaaa	agtactggta	tatacagaaa	3660
tagggttaaa	aaaaactcaa	gctctctcta	tatgagacca	aaatgtacta	gagttagttt	3720
agtgaaataa	aaaaccagtc	agctggccgg	gcatggtggc	tcatgcttgt	aatcccagca	3780
ctttgggagg	ccgaggcagg	tggatcacga	ggtcaggagt	ttgagaccag	tctggccaac	3840
atggtgaaac	cccgtctgta	ctaaaaatac	aaaaattagc	tgggcgtggt	ggtgggtgcc	3900
tgtaatccca	gctacttggg	aggctgaggc	aggagaatcg	cttgaacccg	ggaggtggag	3960
gtggcagtga	gccgagatca	cgccactgca	atgcagcccg	ggcaacagag	ctagactgtc	4020
tcaaaagaac	aaaaaaaaa	aaacacaaaa	aaactcagtc	agcttcttaa	ccaattgctt	4080
ccgtgtcatc	cagggcccca	ttctgtgcag	attgagtgtg	ggcaccacac	aggtggttgc	4140
tgcttcagtg	cttcctgctc	tttttccttg	ggcctgcttc	tgggttccat	agggaaacag	4200
taagaaagaa	agacacatcc	ttaccataaa	tgcatatggt	ccacctacaa	atagaaaaat	4260
atttaaatga	tctgccttta	tacaaagtga	tattctctac	ctttgataat	ttacctgctt	4320
aaatgttttt	atctgcactg	caaagtactg	tatccaaagt	aaaatttcct	catccaatat	4380
ctttcaaact	gttttgttaa	ctaatgccat	atatttgtaa	gtatctgcac	acttgataca	4440
gcaacgttag	atggttttga	tggtaaaccc	taaaggagga	ctccaagagt	gtgtatttat	4500
ttatagtttt	atcagagatg	acaattattt	gaatgccaat	tatatggatt	cctttcattt	4560
tttgctggag	gatgggagaa	gaaaccaaag	tttatagacc	ttcacattga	gaaagcttca	4620
gttttgaact	tcagctatca	gattcaaaaa	caacagaaag	aaccaagaca	ttcttaagat	4680
gcctgtactt	tcagctgggt	ataaattcat	gagttcaaag	attgaaacct	gaccaatttg	4740
ctttatttca	tggaagaagt	gatctacaaa	ggtgtttgtg	ccatttggaa	aacagcgtgc	4800

atgtgttcaa gccttagatt ggcgatgtcg 58183US002.ST25.txt tatttcctc acgtgtggca atgccaaagg 4860 ctttacttta cctgtgagta cacactatat gaattattc caacgtacat ttaatcaata 4920 agggtcacaa attcccaaat caatctctgg aataaataga gaggtaatta aattgctgga 4980 gccaactatt tcacaacttc tgtaagc 5007

<210> 14

<211> 1049

<212> PRT

<213> Homo sapiens

<400> 14

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe 10 15

Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro 50 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile 65 70 75

Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe 85 90 95

Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys 100 110

Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr
115 120 125

Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln.
130 140

Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile 150 155 160

Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile 165 170 175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Tyr Val Ser 180

Page 31

58183US002.ST25.txt

Tyr Ser Ile Glu Lys Asp Ala Phe Leu Asn Leu Thr Lys Leu Lys Val 195 200 205

Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Val Leu Pro 210 220

Ser Thr Leu Thr Glu Leu Tyr Leu Tyr Asn Asn Met' Ile Ala Lys Ile 230 235 240

Gln Glu Asp Asp Phe Asn Asn Leu Asn Gln Leu Gln Ile Leu Asp Leu 245 250 255

Ser Gly Asn Cys Pro Arg Cys Tyr Asn Ala Pro Phe Pro Cys Ala Pro 260 270

Cys Lys Asn Asn Ser Pro Leu Gln Ile Pro Val Asn Ala Phe Asp Ala 275 280 285

Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His 290 300

Val Pro Pro Arg Trp Phe Lys Asn Ile Asn Lys Leu Gln Glu Leu Asp 305 310 320

Leu Ser Gln Asn Phe Leu Ala Lys Glu Ile Gly Asp Ala Lys Phe Leu 325 330 335

His Phe Leu Pro Ser Leu Ile Gln Leu Asp Leu Ser Phe Asn Phe Glu 340 345 350

Leu Gln Val Tyr Arg Ala Ser Met Asn Leu Ser Gln Ala Phe Ser Ser 365

Leu Lys Ser Leu Lys Ile Leu Arg Ile Arg Gly Tyr Val Phe Lys Glu 370 380

Leu Lys Ser Phe Asn Leu Ser Pro Leu His Asn Leu Gln Asn Leu Glu 385 390 400

Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asn Leu Ser Met 405 410 415

Phe Lys Gln Phe Lys Arg Leu Lys Val Ile Asp Leu Ser Val Asn Lys 420 425 430

Ile Ser Pro Ser Gly Asp Ser Ser Glu Val Gly Phe Cys Ser Asn Ala 435 440 Page 32

58183US002.ST25.txt

Arg Thr Ser Val Glu Ser Tyr Glu Pro Gln Val Leu Glu Gln Leu His
450 455 460

Tyr Phe Arg Tyr Asp Lys Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys 475 470 480

Glu Ala Ser Phe Met Ser Val Asn Glu Ser Cys Tyr Lys Tyr Gly Gln
485 490 495

Thr Leu Asp Leu Ser Lys Asn Ser Ile Phe Phe Val Lys Ser Ser Asp 500 505

Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn Leu 515

Ile Ser Gln Thr Leu Asn Gly Ser Glu Phe Gln Pro Leu Ala Glu Leu 530 540

Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu His Ser Thr 545 550 560

Ala Phe Glu Glu Leu His Lys Leu Glu Val Leu Asp Ile Ser Ser Asn 565 570

Ser His Tyr Phe Gln Ser Glu Gly Ile Thr His Met Leu Asn Phe Thr 580 590

Lys Asn Leu Lys Val Leu Gln Lys Leu Met Met Asn Asp Asn Asp Ile 595

Ser Ser Ser Thr Ser Arg Thr Met Glu Ser Glu Ser Leu Arg Thr Leu 610 620

Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Glu Gly Asp Asn 625 630 635

Arg Tyr Leu Gln Leu Phe Lys Asn Leu Leu Lys Leu Glu Glu Leu Asp 645 650

Ile Ser Lys Asn Ser Leu Ser Phe Leu Pro Ser Gly Val Phe Asp Gly 660 670

Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu Lys 675

Ser Phe Ser Trp Lys Lys Leu Gln Cys Leu Lys Asn Leu Glu Thr Leu Page 33

58183US002.ST25.txt 700

Asp Leu Ser His Asn Gln Leu Thr Thr Val Pro Glu Arg Leu Ser Asn 710 715 720

Cys Ser Arg Ser Leu Lys Asn Leu Ile Leu Lys Asn Asn Gln Ile Arg 725 730 735

Ser Leu Thr Lys Tyr Phe Leu Gln Asp Ala Phe Gln Leu Arg Tyr Leu 740 745 750

Asp Leu Ser Ser Asn Lys Ile Gln Met Ile Gln Lys Thr Ser Phe Pro 755 760 765

Glu Asn Val Leu Asn Asn Leu Lys Met Leu Leu His His Asn Arg 770 775 780

Phe Leu Cys Thr Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn His 785 790 795

Thr Glu Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val Gly 805 810

Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr Thr 820 825 830

Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Leu Ser Ile Ser 845

Val Ser Leu Phe Leu Met Val Met Met Thr Ala Ser His Leu Tyr Phe 850 860

Trp Asp Val Trp Tyr Ile Tyr His Phe Cys Lys Ala Lys Ile Lys Gly 865 870 880

Tyr Gln Arg Leu Ile Ser Pro Asp Cys Cys Tyr Asp Ala Phe Ile Val 885 890 895

Tyr Asp Thr Lys Asp Pro Ala Val Thr Glu Trp Val Leu Ala Glu Leu 900 905 910

Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys Leu 915

Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu Ser 930 940

Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Asp Lys 945 950 955 960

Tyr Ala Lys Thr Glu Asn Phe Lys Ile Ala Phe Tyr Leu Ser His Gln 965 970 975

Arg Leu Met Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu Glu 980 985 990

Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys 995 1000 1005

Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro 1010 1020

Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His 1025 1030 1035

Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val 1040 1045

<210> 15

<211> 3311

<212> DNA

<213> Homo sapiens

<400> 15

ttctgcgctg ctgcaagtta cggaatgaaa aattagaaca acagaaacat ggaaaacatg 60 ttccttcagt cgtcaatgct gacctgcatt ttcctgctaa tatctggttc ctgtgagtta 120 tgcgccgaag aaaatttttc tagaagctat ccttgtgatg agaaaaagca aaatgactca 180 gttattgcag agtgcagcaa tcgtcgacta caggaagttc cccaaacggt gggcaaatat 240 gtgacagaac tagacctgtc tgataatttc atcacacaca taacgaatga atcatttcaa 300 gggctgcaaa atctcactaa aataaatcta aaccacaacc ccaatgtaca gcaccagaac 360 ggaaatcccg gtatacaatc aaatggcttg aatatcacag acggggcatt cctcaaccta 420 aaaaacctaa gggagttact gcttgaagac aaccagttac cccaaatacc ctctggtttg 480 ccagagtctt tgacagaact tagtctaatt caaaacaata tatacaacat aactaaagag 540 ggcatttcaa gacttataaa cttgaaaaat ctctatttgg cctggaactg ctattttaac 600 aaagtttgcg agaaaactaa catagaagat ggagtatttg aaacgctgac aaatttggag 660 ttgctatcac tatctttcaa ttctctttca cacgtgccac ccaaactgcc aagctcccta 720 cgcaaacttt ttctgagcaa cacccagatc aaatacatta gtgaagaaga tttcaaggga 780 ttgataaatt taacattact agatttaagc gggaactgtc cgaggtgctt caatgcccca 840 tttccatgcg tgccttgtga tggtggtgct tcaattaata tagatcgttt tgcttttcaa 900 Page 35

58183US002.ST25.txt

aacttgacco	aacttcgata	cctaaacctc	tctagcactt	ccctcaggaa	gattaatgct	960
gcctggttta	aaaatatgcc	tcatctgaag	gtgctggatc	ttgaattcaa	ctatttagtg	1020
ggagaaatag	cctctggggc	atttttaacg	atgctgcccc	gcttagaaat	acttgacttg	1080
tcttttaact	atataaaggg	gagttatcca	cagcatatta	atatttccag	aaacttctct	1140
aaacttttgt	ctctacgggc	attgcattta	agaggttatg	tgttccagga	actcagagaa	1200
gatgatttcc	agcccctgat	gcagcttcca	aacttatcga	ctatcaactt	gggtattaat	1260
tttattaago	aaatcgattt	caaacttttc	caaaatttct	ccaatctgga	aattatttac	1320
ttgtcagaaa	acagaatatc	accgttggta	aaagataccc	ggcagagtta	tgcaaatagt	1380
					tgacccacat	1440
					ttatggaaaa	1500
	•				tgaaaatctt	1560
					aagtggaact	1620
	ccattcctca					1680
	gtgctcttac					1740
	tcagaatagc					1800
	ttttaaactt					1860
	agtccctggt			•		1920
	acaacaggta					1980
	ttaataggct					2040
	aactacatat					2100
	ctcgtctcga					2160
	ctgactttac					2220
	cctctggctt					2280
	taaaaacaat					2340
	aactacacgg					2400
	atgaacatct			•		2460
	atcaaagagg					2520
	cagtgatatt					2580
	ctcaccattt					2640
	aaggctacag					2700
	ccaaagatgc					2760
2	J - J -	J	J	uccyaye c	gegerateat	2/00

58183US002.ST25.txt cttgaagaga gccgagacaa aaacgttctc ctttgtctag aggagaggga ttgggacccg 2820 ggattggcca tcatcgacaa cctcatgcag agcatcaacc aaagcaagaa aacagtattt ·2880 gttttaacca aaaaatatgc aaaaagctgg aactttaaaa cagcttttta cttggctttg 2940 cagaggctaa tggatgagaa catggatgtg attatattta tcctgctgga gccagtgtta 3000 cagcattctc agtatttgag gctacggcag cggatctgta agagctccat cctccagtgg 3060 cctgacaacc cgaaggcaga aggcttgttt tggcaaactc tgagaaatgt ggtcttgact 3120 gaaaatgatt cacggtataa caatatgtat gtcgattcca ttaagcaata ctaactgacg 3180 ttaagtcatg atttcgcgcc ataataaaga tgcaaaggaa tgacatttct gtattagtta 3240 tctattgcta tgtaacaaat tatcccaaaa cttagtggtt taaaacaaca catttgctgg 3300 cccacagttt t 3311

<400> 16

Met Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile Phe Leu 10 15

Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe Ser Arg

Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile Ala Glu 40 45

Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly Lys Tyr 50 60

Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile Thr Asn 65 70 75 80

Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu Asn His
85 90 95

Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln Ser Asn 100 110

Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn Leu Arg 115 120 125

Glu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser Gly Leu 130 135 140

<210> 16

<211> 1041

<212> PRT <213> Homo sapiens

58183US002.ST25.txt

Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile Tyr Asn 145.

Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn Leu Tyr 165 170

Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr Asn Ile 180 185

Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu Ser Leu 195 200 205

Ser Phe Asn Ser Leu Ser His Val Pro Pro Lys Leu Pro Ser Ser Leu 210 220

Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser Glu Glu 235 230 235

Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn 245 250 255

Cys Pro Arg Cys Phe Asn Ala Pro Phe Pro Cys Val Pro Cys Asp Gly 260 270

Gly Ala Ser Ile Asn Ile Asp Arg Phe Ala Phe Gln Asn Leu Thr Gln 275 280 285

Leu Arg Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Lys Ile Asn Ala 290 300

Ala Trp Phe Lys Asn Met Pro His Leu Lys Val Leu Asp Leu Glu Phe 305 310 315 320

Asn Tyr Leu Val Gly Glu Ile Ala Ser Gly Ala Phe Leu Thr Met Leu 325

Pro Arg Leu Glu Ile Leu Asp Leu Ser Phe Asn Tyr Ile Lys Gly Ser 340 350

Tyr Pro Gln His Ile Asn Ile Ser Arg Asn Phe Ser Lys Leu Leu Ser 355

Leu Arg Ala Leu His Leu Arg Gly Tyr Val Phe Gln Glu Leu Arg Glu 370

Asp Asp Phe Gln Pro Leu Met Gln Leu Pro Asn Leu Ser Thr Ile Asn 395 400 Page 38

58183US002.ST25.txt

Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe Gln Asn 405 410 415

Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile Ser Pro 420 425 430

Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser Phe Gln
435 440 445

Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp Pro His 450 460

Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln Cys Ala 465 470 480

Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe Phe Ile 485 490 495

Gly Pro Asn Gln Phe Glu Asn Leu Pro Asp Ile Ala Cys Leu Asn Leu 500 510

Ser Ala Asn Ser Asn Ala Gln Val Leu Ser Gly Thr Glu Phe Ser Ala 515 520 525

Ile Pro His Val Lys Tyr Leu Asp Leu Thr Asn Asn Arg Leu Asp Phe 530 540

Asp Asn Ala Ser Ala Leu Thr Glu Leu Ser Asp Leu Glu Val Leu Asp 545 550 560

Leu Ser Tyr Asn Ser His Tyr Phe Arg Ile Ala Gly Val Thr His His 565 570 575

Leu Glu Phe Ile Gln Asn Phe Thr Asn Leu Lys Val Leu Asn Leu Ser 580 590

His Asn Asn Ile Tyr Thr Leu Thr Asp Lys Tyr Asn Leu Glu Ser Lys 595 605

Ser Leu Val Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile Leu Trp 610 620

Asn Asp Asp Asp Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu Lys Asn 625 630 .640

Leu Thr Arg Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile Pro Asn Page 39 645

58183US002.ST25.txt 650

655

Glu Ala Phe Leu Asn Leu Pro Ala Ser Leu Thr Glu Leu His Ile Asn 660 670

Asp Asn Met Leu Lys Phe Phe Asn Trp Thr Leu Leu Gln Gln Phe Pro 675 680 685

Arg Leu Glu Leu Leu Asp Leu Arg Gly Asn Lys Leu Leu Phe Leu Thr 690 700

Asp Ser Leu Ser Asp Phe Thr Ser Ser Leu Arg Thr Leu Leu Ser 705 710 715

His Asn Arg Ile Ser His Leu Pro Ser Gly Phe Leu Ser Glu Val Ser 725 730 735

Ser Leu Lys His Leu Asp Leu Ser Ser Asn Leu Leu Lys Thr Ile Asn 740 745 750

Lys Ser Ala Leu Glu Thr Lys Thr Thr Lys Leu Ser Met Leu Glu
755 760 765

Leu His Gly Asn Pro Phe Glu Cys Thr Cys Asp Ile Gly Asp Phe Arg
770 780

Arg Trp Met Asp Glu His Leu Asn Val Lys Ile Pro Arg Leu Val Asp 785 790 800

Val Ile Cys Ala Ser Pro Gly Asp Gln Arg Gly Lys Ser Ile Val Ser 805 810 815

Leu Glu Leu Thr Thr Cys Val Ser Asp Val Thr Ala Val Ile Leu Phe 820 830

Phe Phe Thr Phe Phe Ile Thr Thr Met Val Met Leu Ala Ala Leu Ala 835 840 845

His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr Asn Val Cys Leu 850

Ala Lys Val Lys Gly Tyr Arg Ser Leu Ser Thr Ser Gln Thr Phe Tyr 865 870 875

Asp Ala Tyr Ile Ser Tyr Asp Thr Lys Asp Ala Ser Val Thr Asp Trp 885 890 895

58183US002.ST25.txt Val Ile Asn Glu Leu Arg Tyr His Leu Glu Glu Ser Arg Asp Lys Asn 900 Val Leu Leu Cys Leu Glu Glu Arg Asp Trp Asp Pro Gly Leu Ala Ile 915 Ile Asp Asn Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr Val Phe 930 Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr Ala Phe 960 Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val Ile Ile 965 975 Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu Arg Leu 980 985 Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro Asp Asn Pro 1000 1005 Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn Val Val Leu 1010 1015 1020 Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val Asp Ser Ile 1025 1030 1035 Lys Gln Tyr 1040 <210> 3352 <211> <212> DNA Homo sapiens <213> <400> 17 aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60 ggacctcgag tgtgaagcat ccttccctgt agctgctgtc cagtctgccc gccagaccct 120 ctggagaagc ccctgcccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180 ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240 ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300 gtgccccact tctccatggc agcaccccgt ggcaatgtca ccagcctttc cttgtcctcc 360 aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc 420 aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg 480 accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac 540 Page 41

58183US002.ST25.txt

aacaacatca	tgactgtgcc	tgcgctgccc	aaatccctca	tatccctgtc	cctcagccat	600
accaacatcc	tgatgctaga	ctctgccagc	ctcgccggcc	tgcatgccct	gcgcttccta	660
ttcatggacg	gcaactgtta	ttacaagaac	ccctgcaggc	aggcactgga	ggtggccccg	720
ggtgccctcc	ttggcctggg	caacctcacc	cacctgtcac	tcaagtacaa	caacctcact	780
gtggtgcccc	gcaacctgcc	ttccagcctg	gagtatctgc	tgttgtccta	caaccgcatc	840
gtcaaactgg	cgcctgagga	cctggccaat	ctgaccgccc	tgcgtgtgct	cgatgtgggc	900
ggaaattgcc	gccgctgcga	ccacgctccc	aacccctgca	tggagtgccc	tcgtcacttc	960
ccccagctac	atcccgatac	cttcagccac	ctgagccgtc	ttgaaggcct	ggtgttgaag	1020
gacagttctc	tctcctggct	gaatgccagt	tggttccgtg	ggctgggaaa	cctccgagtg	1080
ctggacctga	gtgagaactt	cctctacaaa	tgcatcacta	aaaccaaggc	cttccagggc	1140
ctaacacagc	tgcgcaagct	taacctgtcc	ttcaattacc	aaaagagggt	gtcctttgcc	1200
cacctgtctc	tggccccttc	cttcgggagc	ctggtcgccc	tgaaggagct	ggacatgcac	1260
ggcatcttct	tccgctcact	cgatgagacc	acgctccggc	cactggcccg	cctgcccatg.	1320
ctccagactc	tgcgtctgca	gatgaacttc	atcaaccagg	cccagctcgg	catcttcagg	1380
gccttccctg	gcctgcgcta	cgtggacctg	tcggacaacc	gcatcagcgg	agcttcggag	1440
ctgacagcca	ccatggggga	ggcagatgga	ggggagaagg	tctggctgca	gcctggggac	1500
cttgctccgg	ccccagtgga	cactcccagc	tctgaagact	tcaggcccaa	ctgcagcacc	1560
ctcaacttca	ccttggatct	gtcacggaac	aacctggtga	ccgtgcagcc	ggagatgttt	1620
gcccagctct	cgcacctgca	gtgcctgcgc	ctgagccaca	actgcatctc	gcaggcagtc	1680
aatggctccc	agttcctgcc	gctgaccggt	ctgcaggtgc	tagacctgtc	ccgcaataag	1740
ctggacctct	accacgagca	ctcattcacg	gagctaccgc	gactggaggc	cctggacctc	1800
agctacaaca	gccagccctt	tggcatgcag	ggcgtgggcc	acaacttcag	cttcgtggct	1860
cacctgcgca	ccctgcgcca	cctcagcctg	gcccacaaca	acatccacag	ccaagtgtcc	1920
cagcagctct	gcagtacgtc	gctgcgggcc	ctggacttca	gcggcaatgc	actgggccat	1980
atgtgggccg	agggagacct	ctatctgcac	ttcttccaag	gcctgagcgg	tttgatctgg	2040
ctggacttgt	cccagaaccg	cctgcacacc	ctcctgcccc	aaaccctgcg	caacctcccc	2100
aagagcctac	aggtgctgcg	tctccgtgac	aattacctgg	ccttctttaa	gtggtggagc	2160
ctccacttcc	tgcccaaact	ggaagtcctc	gacctggcag	gaaaccggct	gaaggccctg	2220
accaatggca	gcctgcctgc	tggcacccgg	ctccggaggc	tggatgtcag	ctgcaacagc	2280
atcagcttcg	tggcccccgg	cttcttttcc	aaggccaagg	agctgcgaga	gctcaacctt	2340
agcgccaacg	ccctcaagac	agtggaccac	tcctggtttg	ggcccctggc	gagtgccctg	2400

			F010206003	C-31		
caaatactag	atgtaagcgc	caaccctctg	58183US002. cactgcgcct		ctttatggac	2460
ttcctgctgg	aggtgcaggc	tgccgtgccc	ggtctgccca	gccgggtgaa	gtgtggcagt	2520
ccgggccagc	tccagggcct	cagcatcttt	gcacaggacc	tgcgcctctg	cctggatgag	2580
gccctctcct	gggactgttt	cgccctctcg	ctgctggctg	tggctctggg	cctgggtgtg	2640
cccatgctgc	atcacctctg	tggctgggac	ctctggtact	gcttccacct	gtgcctggcc	2700
tggcttccct	ggcgggggcg	gcaaagtggg	cgagatgagg	atgccctgcc	ctacgatgcc	2760
ttcgtggtct	tcgacaaaac	gcagagcgca	gtggcagact	gggtgtacaa	cgagcttcgg	2820
gggcagctgg	aggagtgccg	tgggcgctgg	gcactccgcc	tgtgcctgga	ggaacgcgac	2880
tggctgcctg	gcaaaaccct	ctttgagaac	ctgtgggcct	cggtctatgg	cagccgcaag	2940
acgctgtttg	tgctggccca	cacggaccgg	gtcagtggtc	tcttgcgcgc	cagcttcctg	3000
ctggcccagc	agcgcctgct	ggaggaccgc	aaggacgtcg	tggtgctggt	gatcctgagc	3060
cctgacggcc	gccgctcccg	ctacgtgcgg	ctgcgccagc	gcctctgccg	ccagagtgtc	3120
ctcctctggc	cccaccagcc	cagtggtcag	cgcagcttct	gggcccagct	gggcatggcc	3180
ctgaccaggg	acaaccacca	cttctataac	cggaacttct	gccagggacc	cacggccgaa	3240
tagccgtgag	ccggaatcct	gcacggtgcc	acctccacac	tcacctcacc	tctgcctgcc	3300
tggtctgacc	ctccctgct	cgcctccctc	accccacacc	tgacacagag	ca	3352

<210> 18

<211> 1032

<212> PRT

<213> Homo sapiens

<400> 18

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe 20 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn 50 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp 85 90 95

Page 43

58183US002.ST25.txt

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met 100 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu 115 120

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser 130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser 145 150 155

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu 235 230 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg 250

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe 260 265

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe 290 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu 305 310 315

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu 325

58183US002.ST25.txt

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu 370 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu 420 425 430

Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu 435 440 445

Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu 450 455 460

Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser 465 470 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser 485 490 495

His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val 500 505 510

Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu 515 525

Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu 530 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly 545 550 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser 580

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Page 45

58183US002.ST25.txt 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe 610 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu 625 630 635

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln 645 650

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser 660 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg 690 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala 725 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala 755

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu 770 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser 785 790 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp 805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val 820 825

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His 835 840 845

58183US002.ST25.txt Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp 855 860 Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln 865 875 880 Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu 890 Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp 900 905 Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr 920 915 Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser 930 935 940 Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu 945 950 960 955 Asp Arg Lys Asp Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg 965 975 970 Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val 980 985 Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln 995 1000 1005 Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg 1010 Asn Phe Cys Gln Gly Pro Thr Ala Glu 1025 1030 <210> 3002 <211> <212> DNA <213> Homo sapiens <400> 19 gtggcttggt attcactggc aggtttcaga catttagatc tttcttttaa tgactaacac 60 catgcctatc tgtggagaag ctggcaacat gtcacacctg gaaattgttt ttcaacatta 120 180 atactattat ttggcagtaa tccagattgc ttttgccacc aacctgaaga catatagagg cagaaggaca ggaataattc tatttgtttc ctgttttgaa acttccatct gtaaggctat 240 caaaaggaga tgtgagagag ggtattgagt ctggcctgac aatgcagttc ttaaaccaaa 300 Page 47

58183US002.ST25.txt

ggtccattat	gcttctcctc	tctgagaatc	ctgacttacc	tcaacaacgg	agacatggca	360
cagtagccag	cttggagact	tctcagccaa	tgctctgaga	tcaagtcgaa	gacccaatat	420
acagggtttt	gagctcatct	tcatcattca	tatgaggaaa	taagtggtaa	aatccttgga	480
aatacaatga	gactcatcag	aaacatttac	atattttgta	gtattgttat	gacagcagag	540
ggtgatgctc	cagagctgcc	agaagaaagg	gaactgatga	ccaactgctc	caacatgtct	600
ctaagaaagg	ttcccgcaga	cttgacccca	gccacaacga	cactggattt	atcctataac	660
ctcctttttc	aactccagag	ttcagatttt	cattctgtct	ccaaactgag	agttttgatt	720
ctatgccata	acagaattca	acagctggat	ctcaaaacct	ttgaattcaa	caaggagtta	780
agatatttag	atttgtctaa	taacagactg	aagagtgtaa	cttggtattt	actggcaggt	840
ctcaggtatt	tagatctttc	ttttaatgac	tttgacacca	tgcctatctg	tgaggaagct	900
ggcaacatgt	cacacctgga	aatcctaggt	ttgagtgggg	caaaaataca	aaaatcagat	960
ttccagaaaa	ttgctcatct	gcatctaaat	actgtcttct	taggattcag	aactcttcct	1020
cattatgaag	aaggtagcct	gcccatctta	aacacaacaa	aactgcacat	tgttttacca	1080
atggacacaa	atttctgggt	tcttttgcgt	gatggaatca	agacttcaaa	aatattagaa	1140
atgacaaata	tagatggcaa	aagccaattt	gtaagttatg	aaatgcaacg	aaatcttagt	1200
ttagaaaatg	ctaagacatc	ggttctattg	cttaataaag	ttgatttact	ctgggacgac	1260
cttttcctta	tcttacaatt	tgtttggcat	acatcagtgg	aacactttca	gatccgaaat	1320
gtgacttttg	gtggtaaggc	ttatcttgac	cacaattcat	ttgactactc	aaatactgta	1380
atgagaacta	taaaattgga	gcatgtacat	ttcagagtgt	tttacattca	acaggataaa	1440
atctatttgc	ttttgaccaa	aatggacata	gaaaacctga	caatatcaaa	tgcacaaatg	1500
ccacacatgc	ttttcccgaa	ttatcctacg	aaattccaat	atttaaattt	tgccaataat	1560
atcttaacag	acgagttgtt	taaaagaact	atccaactgc	ctcacttgaa	aactctcatt	1620
ttgaatggca	ataaactgga	gacactttct	ttagtaagtt	gctttgctaa	caacacaccc	1680
ttggaacact	tggatctgag	tcaaaatcta	ttacaacata	aaaatgatga	aaattgctca	1740
tggccagaaa	ctgtggtcaa	tatgaatctg	tcatacaata	aattgtctga	ttctgtcttc	1800
aggtgcttgc	ccaaaagtat	tcaaatactt	gacctaaata	ataaccaaat	ccaaactgta	1860
cctaaagaga	ctattcatct	gatggcctta	cgagaactaa	atattgcatt	taattttcta	1920
actgatctcc	ctggatgcag	tcatttcagt	agactttcag	ttctgaacat	tgaaatgaac	1980
ttcattctca	gcccatctct	ggattttgtt	cagagctgcc	aggaagttaa	aactctaaat	2040
gcgggaagaa	atccattccg	gtgtacctgt	gaattaaaaa	atttcattca	gcttgaaaca	2100
tattcagagg	tcatgatggt	tggatggtca	gattcataca	cctgtgaata	ccctttaaac	2160

	58183US002.	ST25.txt		
ctaaggggaa ttaggttaaa agacg			cacagetetg	2220
ttgattgtca ccattgtggt tatta	tgcta gttctggggt	tggctgtggc	cttctgctgt	2280
ctccactttg atctgccctg gtate	tcagg atgctaggtc	aatgcacaca	aacatggcac	2340
agggttagga aaacaaccca agaac	aactc aagagaaatg	tccgattcca	cgcatttatt	2400
tcatacagtg aacatgattc tctgt	gggtg aagaatgaat	tgatccccaa	tctagagaag	2460
gaagatggtt ctatcttgat ttgcc	tttat gaaagctact	ttgaccctgg	caaaagcatt	2520
agtgaaaata ttgtaagctt cattg	agaaa agctataagt	ccatctttgt	tttgtctccc	2580
aactttgtcc agaatgagtg gtgcc	attat gaattttact	ttgcccacca	caatctcttc	2640
catgaaaatt ctgatcatat aatto	ttatc ttactggaac	ccattccatt	ctattgcatt	2700
cccaccaggt atcataaact gaaag	ctctc ctggaaaaaa	aagcatactt	ggaatggccc	2760
aaggataggc gtaaatgtgg gcttt	tctgg gcaaaccttc	gagctgctat	taatgttaat	2820
gtattagcca ccagagaaat gtatg	aactg cagacattca	cagagttaaa	tgaagagtct	2880
cgaggttcta caatctctct gatga	igaaca gattgtctat	aaaatcccac	agtccttggg	2940
aagttgggga ccacatacac tgttg	ggatg tacattgata	caacctttat	gatggcaatt	3000
tg				3002

<210> 20

<211> 811 <212> PRT

<213> Homo sapiens

<400> 20

Met Arg Leu Ile Arg Asn Ile Tyr Ile Phe Cys Ser Ile Val Met Thr 1 10 15

Ala Glu Gly Asp Ala Pro Glu Leu Pro Glu Glu Arg Glu Leu Met Thr 20 25 30

Asn Cys Ser Asn Met Ser Leu Arg Lys Val Pro Ala Asp Leu Thr Pro 35 40 45

Ala Thr Thr Leu Asp Leu Ser Tyr Asn Leu Leu Phe Gln Leu Gln
50 55 60

Ser Ser Asp Phe His Ser Val Ser Lys Leu Arg Val Leu Ile Leu Cys 65 70 75 80

His Asn Arg Ile Gln Gln Leu Asp Leu Lys Thr Phe Glu Phe Asn Lys 90 95

Glu Leu Arg Tyr Leu Asp Leu Ser Asn Asn Arg Leu Lys Ser Val Thr Page 49 58183US002.ST25.txt 105 110

Trp Tyr Leu Leu Ala Gly Leu Arg Tyr Leu Asp Leu Ser Phe Asn Asp 115

100

Phe Asp Thr Met Pro Ile Cys Glu Glu Ala Gly Asn Met Ser His Leu 130 140

Glu Ile Leu Gly Leu Ser Gly Ala Lys Ile Gln Lys Ser Asp Phe Gln 145 150 155 160

Lys Ile Ala His Leu His Leu Asn Thr Val Phe Leu Gly Phe Arg Thr 165 170 175

Leu Pro His Tyr Glu Glu Gly Ser Leu Pro Ile Leu Asn Thr Thr Lys 180 185 190

Leu His Ile Val Leu Pro Met Asp Thr Asn Phe Trp Val Leu Leu Arg 195 200 205

Asp Gly Ile Lys Thr Ser Lys Ile Leu Glu Met Thr Asn Ile Asp Gly 210 220

Lys Ser Gln Phe Val Ser Tyr Glu Met Gln Arg Asn Leu Ser Leu Glu 235 230 240

Asn Ala Lys Thr Ser Val Leu Leu Leu Asn Lys Val Asp Leu Leu Trp 245 250 255

Asp Asp Leu Phe Leu Ile Leu Gln Phe Val Trp His Thr Ser Val Glu 260 265 270

His Phe Gln Ile Arg Asn Val Thr Phe Gly Gly Lys Ala Tyr Leu Asp 275 280 285

His Asn Ser Phe Asp Tyr Ser Asn Thr Val Met Arg Thr Ile Lys Leu 290 295 300

Glu His Val His Phe Arg Val Phe Tyr Ile Gln Gln Asp Lys Ile Tyr 305 310 315 320

Leu Leu Leu Thr Lys Met Asp Ile Glu Asn Leu Thr Ile Ser Asn Ala 325

Gln Met Pro His Met Leu Phe Pro Asn Tyr Pro Thr Lys Phe Gln Tyr 340 350

58183US002.ST25.txt
Leu Asn Phe Ala Asn Asn Ile Leu Thr Asp Glu Leu Phe Lys Arg Thr
355 360 365

Ile Gln Leu Pro His Leu Lys Thr Leu Ile Leu Asn Gly Asn Lys Leu 370 380

Glu Thr Leu Ser Leu Val Ser Cys Phe Ala Asn Asn Thr Pro Leu Glu 385 390 400

His Leu Asp Leu Ser Gln Asn Leu Leu Gln His Lys Asn Asp Glu Asn 405 410 415

Cys Ser Trp Pro Glu Thr Val Val Asn Met Asn Leu Ser Tyr Asn Lys 420 425 430

Leu Ser Asp Ser Val Phe Arg Cys Leu Pro Lys Ser Ile Gln Ile Leu 435 440 445

Asp Leu Asn Asn Gln Ile Gln Thr Val Pro Lys Glu Thr Ile His 450 460

Leu Met Ala Leu Arg Glu Leu Asn Ile Ala Phe Asn Phe Leu Thr Asp 475 470 480

Leu Pro Gly Cys Ser His Phe Ser Arg Leu Ser Val Leu Asn Ile Glu 485 490 495

Met Asn Phe Ile Leu Ser Pro Ser Leu Asp Phe Val Gln Ser Cys Gln 500 505 . 510

Glu Val Lys Thr Leu Asn Ala Gly Arg Asn Pro Phe Arg Cys Thr Cys 515 520 525

Glu Leu Lys Asn Phe Ile Gln Leu Glu Thr Tyr Ser Glu Val Met Met 530 540

Val Gly Trp Ser Asp Ser Tyr Thr Cys Glu Tyr Pro Leu Asn Leu Arg 545 550 560

Gly Ile Arg Leu Lys Asp Val His Leu His Glu Leu Ser Cys Asn Thr 565 570 575

Ala Leu Leu Ile Val Thr Ile Val Val Ile Met Leu Val Leu Gly Leu 580 590

Ala Val Ala Phe Cys Cys Leu His Phe Asp Leu Pro Trp Tyr Leu Arg 595 600 605

Page 51

58183US002.ST25.txt

Met Leu Gly Gln Cys Thr Gln Thr Trp His Arg Val Arg Lys Thr Thr 610 620

Gln Glu Gln Leu Lys Arg Asn Val Arg Phe His Ala Phe Ile Ser Tyr 625 630 635 640

Ser Glu His Asp Ser Leu Trp Val Lys Asn Glu Leu Ile Pro Asn Leu 645 650 655

Glu Lys Glu Asp Gly Ser Ile Leu Ile Cys Leu Tyr Glu Ser Tyr Phe 660 670

Asp Pro Gly Lys Ser Ile Ser Glu Asn Ile Val Ser Phe Ile Glu Lys 675 680 685

Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro Asn Phe Val Gln Asn Glu 690 700

Trp Cys His Tyr Glu Phe Tyr Phe Ala His His Asn Leu Phe His Glu 705 710 715 720

Asn Ser Asp His Ile Ile Leu Ile Leu Leu Glu Pro Ile Pro Phe Tyr 725 730 735

Cys Ile Pro Thr Arg Tyr His Lys Leu Lys Ala Leu Leu Glu Lys Lys 740 745 750

Ala Tyr Leu Glu Trp Pro Lys Asp Arg Arg Lys Cys Gly Leu Phe Trp 755 760 765

Ala Asn Leu Arg Ala Ala Ile Asn Val Asn Val Leu Ala Thr Arg Glu 770 775 780

Met Tyr Glu Leu Gln Thr Phe Thr Glu Leu Asn Glu Glu Ser Arg Gly 785 790 800

Ser Thr Ile Ser Leu Met Arg Thr Asp Cys Leu 805

<210> 21

<211> 215

<212> DNA <213> Homo sapiens

<400> 21

aaaaacaaaa catttgagaa acacggctct aaactcatgt aaagagtgca tgaaggaaag 60 caaaaacaga aatggaaagt ggcccagaag cattaagaaa gtggaaatca gtatgttccc 120 Page 52

58183US00 tatttaaggc atttgcagga agcaaggcct tcagagaac	2.ST25.txt cc tagagcccaa ggttcagagt 180
cacccatctc agcaagccca gaagtatctg caata	21
<210> 22 <211> 36 <212> DNA <213> Artificial	·
<220> <223> 5' primer for human IFN-alpha promo	oter
<400> 22 acgagatcta agcttaaaac aaaacatttg agaaac	36
<210> 23 <211> 28 <212> DNA <213> Artificial	
<220> <223> 3' primer for human IFN-alpha promo	oter
<400> 23 acgagatcta gatattgcag atacttct	28